



| Group | Product Type | Product Description | Option ID | Option Description | SALE USD |
|--------|--------------|--|--------------|--|------------|
| FB6000 | FB6000-1234 | Fireberd Datacomms Analyser | 6001 | DS1 Wideband Jitter Measurement | \$3,600.00 |
| FB6000 | | | 6002 | DS1 Jitter Spectral Analysis | |
| FB6000 | | | 6003 | DS1 Jitter Generation | |
| FB6000 | | | 6004 | Clock Recovery | |
| FIT | EFSCOPE250 | Connector Inspection Scope x250 | ETIPFCPC | Optical inspection FC/PC tip, bulkhead adapters | \$836.80 |
| FIT | | | ETIPLC | Optical Inspection LC tip for bulkhead adapters | |
| FIT | | | ETIPMU | MU tip for bulkhead adapters | |
| FIT | | | ETIPSCPC | Optical inspection SC/PC tip, bulkhead adapters | |
| FIT | | | ETIPSTPC | Optical inspection ST/PC tip, bulkhead adapters | |
| FIT | | | ETIPU125MM | inspection patchcord tip for 1.25mm ferrule | |
| FIT | | | ETIPU25MM | inspection patchcord tip for 2.5mm ferrule | |
| FIT | | | | | |
| FIT | FBP-ATT-1 | Fiber Optic Inspection Kit (FBP-P5)-AT&T | FBP-HD2-P2-V | HAND HELD VIDEO DISPLAY: HD2 200X PATCH CORD MODULE VFL | \$1,696.00 |
| FIT | | | FBP-P5 | VIDEO INSPECTION PROBE_ NTSC_ 200-400X_ 4-PIN OUT | |
| FIT | | | FBPP-BK1 | FBPP-BK1;BATTERY KIT BATTERY TRAY CHARGER AND 16 BATTERIES | |
| FIT | | | FBPP-HSC11 | HARD SIDED CASE PLASTIC WITH FOAM INSERT -REPLACES ZP-PKG- | |
| FIT | | | FBPP-MK1 | FBPP-MK1;Mating Adapter Kit MTP SC LC | |
| FIT | | | FBPT-MTPA-XL | FBPT-MTPA-XL;Tip MTP-APC Bulkhead Extended Reach for FBP2--Rev02 | |
| FIT | | | FBPT-SC-A6 | TIP SC BULKHEAD FOR FBP ANGLED 60 DEGREES | |
| FIT | | | FBPT-U12-A6 | TIP UNIV. 1.25MM BULKHEAD FOR FBP ANGLED 60 DEGREES | |
| FIT | | | FMAE-U12 | ADAPTER UNIVERSAL 1.25MM FEMALE THREADED | |
| FIT | | | FMAE-U25 | ADAPTER UNIVERSAL 2.5MM FEMALE THREADED | |
| FIT | | | | | |
| FIT | FBP-P5000 | P5000 USB Probe Kit | FBPT-LC | TIP LC BULKHEAD FOR FBP | \$1,489.60 |
| FIT | | | FBPT-SC | TIP SC BULKHEAD FOR FBP | |
| FIT | | | FBPT-U12M | TIP UNIV. 1.25MM PATCH CORD FOR FBP | |
| FIT | | | FBPT-U25M | TIP UNIV. 2.5MM PATCH CORD FOR FBP | |
| FIT | | | | | |

| | | | | | |
|-----|------------|---|---------------|--|------------|
| FIT | FBP-SM03 | Probe Kit | FBPT-LC | TIP LC BULKHEAD FOR FBP | \$798.40 |
| FIT | | | FBPT-SC | TIP SC BULKHEAD FOR FBP | |
| FIT | | | FBPT-U12M | TIP UNIV. 1.25MM PATCH CORD FOR FBP | |
| FIT | | | FBPT-U25M | TIP UNIV. 2.5MM PATCH CORD FOR FBP | |
| FIT | | | | | |
| FIT | FBP-SM05 | Insp. Kit-200/400X FBP Prope W/HD3-P4 Disp. | FBP-SM05 | INSPECTION KIT 200/400X FBP PROBE W/HD3-P4 DISPLAY | \$934.40 |
| FIT | | | FBPT-FC | TIP_ FC BULKHEAD_ FOR FBP | |
| FIT | | | FBPT-LC | TIP LC BULKHEAD FOR FBP | |
| FIT | | | FBPT-SC | TIP SC BULKHEAD FOR FBP | |
| FIT | | | FBPT-ST | TIP ST BULKHEAD FOR FBP | |
| FIT | | | | | |
| FIT | | | FIT-HP3-60-P4 | HANDHELD VIDEO DISPLAY & OPTICAL POWER METER & 400X PCM - US | |
| FIT | | | | | |
| FIT | FCL-P1002 | Cleanblast System- Portable | FCL-P1002 | CLEANBLAST: PORTABLE 4-PIN PROBE INPUT 6.4INCH LCD | \$2,592.00 |
| FIT | | | FCLP-RCA-1 | BOTTLE CAP REFILL ASSEMBLY FOR CLEANBLAST SYSTEMS | |
| FIT | | | FCLP-SOL1 | CLEANBLAST SOLVENT REFILL 3M HFE-72DA 8OZ 225ML | |
| FIT | | | FCLT-LC | CLEANING TIP_ LC BULKHEAD_ FOR CLEANBLAST | |
| FIT | | | FCLT-MTP | CLEANING TIP MTP BULKHEAD FOR CLEANBLAST | |
| FIT | | | FCLT-MTP-MA | CLEANING MATING ADAPTER MTP PATCH CORDS FOR CLEANBLAST | |
| FIT | | | FCLT-U12 | CLEANING TIP UNIV. 1.25MM BULKHEAD FOR CLEANBLAST | |
| FIT | | | FCLT-U12-MA | CLEANING MATING ADAPTER 1.25MM PATCH CORDS FOR CLEANBLAST | |
| FIT | | | FCLT-U25 | CLEANING TIP UNIV. 2.5MM BULKHEAD FOR CLEANBLAST | |
| FIT | | | FCLT-U25-MA | CLEANING MATING ADAPTER 2.5MM PATCH CORDS FOR CLEANBLAST | |
| FIT | | | | | |
| FIT | FIT-S105M1 | Inspection & Test kit w/HP3-60-P4 | FBPT-FC | TIP_ FC BULKHEAD_ FOR FBP | \$1,556.80 |
| FIT | | | FBPT-LC | TIP LC BULKHEAD FOR FBP | |
| FIT | | | FBPT-SC | TIP SC BULKHEAD FOR FBP | |
| FIT | | | | | |
| FIT | | | FIT-S105 | INSPECTION & TEST KIT FBP PROBE W/ HP3-60-P4 | |
| FIT | | | | | |
| FIT | FITS105PRO | Inspection & Test kit w/HP3-60-P4 & FFL-050 | FBPT-FC | TIP_ FC BULKHEAD_ FOR FBP | \$1,656.00 |
| FIT | | | FBPT-LC | TIP LC BULKHEAD FOR FBP | |
| FIT | | | FBPT-SC | TIP SC BULKHEAD FOR FBP | |
| FIT | | | | | |
| FIT | | | FFL-050 | VISUAL FAULT LOCATOR - POCKET SIZE, 2.5MM | |
| FIT | | | | | |
| FIT | | | FIT-HP3-60-P4 | HANDHELD VIDEO DISPLAY & OPTICAL POWER METER & 400X PCM - US | |

| | | | | | |
|---------|-------------|--|-------------------|---|------------|
| FIT | | | FIT-S105-PRO | FIBER ESSENTIALS TOOL KIT | |
| FIT | | | | | |
| FIT | FITS205PRO | Inspection & Test kit w/HP2-60-P4 & FFL-050 | FIT-HP2-60-P4 | HANDHELD 3.5 | \$1,680.00 |
| FIT | | | FIT-S205-PRO | FIBER ESSENTIALS TOOL KIT) FBP PROBE W/ HP2-60-P4 | |
| FIT | | | | | |
| FIT | FVA-2400-L | Dig. autofocus 400X LWD BENCH-TOP USB 2.0 | FVA-2400-L | DIGITAL FIBER MICROSCOPE-AUTOFOCUS- 400X LWD BENCHTOP USB 2.0 | \$1,776.00 |
| FIT | | | | | |
| FIT | ATT-1 | Fiber Optic Inspection Kit (FBP-P5)-AT&T | FBP-HD2-P2-V | HAND HELD VIDEO DISPLAY: HD2 200X PATCH CORD MODULE VFL | \$1,571.20 |
| FIT | | | FBP-P5 | VIDEO INSPECTION PROBE_ NTSC_ 200- 400X_ 4-PIN OUT | |
| FIT | | | FBPP-BK1 | FBPP-BK1;BATTERY KIT BATTERY TRAY CHARGER AND 16 BATTERIES | |
| FIT | | | FBPP-HSC11 | HARD SIDED CASE PLASTIC WITH FOAM INSERT -REPLACES ZP-PKG- | |
| FIT | | | FBPP-MK1 | FBPP-MK1;Mating Adapter Kit MTP SC LC | |
| FIT | | | FBPT-MTPA-XL | FBPT-MTPA-XL;Tip MTP-APC Bulkhead Extended Reach for FBP2--Rev02 | |
| FIT | | | FBPT-SC-A6 | TIP SC BULKHEAD FOR FBP ANGLED 60 DEGREES | |
| FIT | | | FBPT-U12-A6 | TIP UNIV. 1.25MM BULKHEAD FOR FBP ANGLED 60 DEGREES | |
| FIT | | | FMAE-U12 | ADAPTER UNIVERSAL 1.25MM FEMALE THREADED | |
| FIT | | | FMAE-U25 | ADAPTER UNIVERSAL 2.5MM FEMALE THREADED | |
| FIT | FITS105PRO | FIBER ESSENTIALS TOOL KIT (FIT-S105-C) | FIT-HP3-60-P4 | HANDHELD VIDEO DISPLAY & OPTICAL POWER METER & 400X PCM - US | \$1,656.00 |
| FIT | | | FIT-S105-PRO | FIBER ESSENTIALS TOOL KIT | |
| FIT | | | | | |
| FIT | FITS205PRO | FIBER ESSENTIALS TOOL KIT | FIT-S205-PRO | FIBER ESSENTIALS TOOL KIT) FBP PROBE W/ HP2-60-P4 | \$1,560.00 |
| FIT | | | | | |
| FIT | FFL-050 | VISUAL FAULT LOCATOR - POCKET SIZE, 2.5MM | FFL-050 | VISUAL FAULT LOCATOR - POCKET SIZE, 2.5MM | \$142.40 |
| FIT | | | FFL-050-U12 | 1.25MM ADAPTER FOR POCKET SIZE VFL | |
| HST3000 | HST3000WB2 | WB2 Copper Test SIM | HST3000-WB2 | WB2 Copper Test SIM | \$683.20 |
| HST3000 | | | | | |
| HST3000 | HST3CAR2AB | Cu ADSL2+ (ATU-R Annex A/B) HST3000-CAR2AB | HST3000-CAR2AB | Cu, ADSL2+ (ATU-R, Annex A/B) | \$560.00 |
| HST3000 | | | | | |
| HST3000 | HST3K-BRA | ETSI ISDN BRA SIM (HST3000-BRA) | HST3000-BRA | ETSI ISDN BRA SIM | \$616.00 |
| HST3000 | | | | | |
| HST3000 | HST3KCARCA | Cu, ADSL (ATU-R/C, Annex A) HST3000-CARCA | HST3000-CARCA | Cu, ADSL (ATU-R/C, Annex A) | \$560.00 |
| HST3000 | | | | | |
| HST3000 | HST3KCSH4J | Cu,4 wire G.SHDSL (STU-R/C, Annex A/B) rev J | HST3000-CSH4 | Cu, 4 wire G.SHDSL (STU-R/C, Annex A/B) | \$560.00 |
| HST3000 | HST3KVDLSL4 | Infineon VDSL SIM WB2 copper for HST3000 | HST3000-INF-VDSL- | Infineon VDSL SIM with WB2 copper | \$800.00 |

| | | | | | |
|---------|------------|--|-------------------|---|------------|
| | | | WB2 | | |
| HST3000 | | | | | |
| HST3000 | HST3K-WB2 | WB2 Copper Test SIM | HST3000-WB2 | WB2 Copper Test SIM | \$800.00 |
| HST3000 | | | | | |
| HST3000 | HSTCAR2AT1 | Cu ADSL2+ TI (ATU-R Annex A) HST3000-AR2A-TI | HST3000-CAR2A-TI | Cu, ADSL2+ TI (ATU-R, Annex A) | \$500.80 |
| HST3000 | | | | | |
| HST3000 | HSTCAR2BT1 | Cu ADSL2+ TI (ATU-R Annex B) HST3000-AR2B-TI | HST3000-AR2B-TI | ADSL2+ TI (ATU-R, Annex B) | \$320.00 |
| HST3000 | | | | | |
| HST3000 | HSTOLP3057 | OLP-3057 - HST-3000 Optical FTTx SIM module | 2291/22 | HST-3000 Optical FTTx SIM module | \$662.40 |
| HST3000 | | | | | |
| HST3000 | HSTSPE-MON | Spectral Monitoring Cable (HST3000) | CB-SPE-MON | Spectral Monitoring Cable | \$160.00 |
| HST3000 | | | | | |
| HST3000 | HST3000BRI | HST3000-BRI - ISDN BRI SIM For HST3000 | HST3000-BRI | ISDN BRI (ANSI) | \$672.00 |
| HST3000 | | | | | |
| HST3000 | HST3000CT1 | HST3000 SIM w/T1 and copper | HST3000-CT1 | T1 and Copper SIM for HST-3000 | \$1,592.00 |
| HST3000 | | | | | |
| HST3000 | HST3000CU1 | HST3000 Cu Mainframe (Color & new chipset) | HST3000C-NG2 | HST Copper Mainframe | \$2,800.00 |
| HST3000 | | | | | |
| HST3000 | HST3000SH4 | HST3000-CSH4 - Cu 4 wire G.SHDSL | HST3000-CSH4 | Cu, 4 wire G.SHDSL (STU-R/C, Annex A/B) | \$1,102.40 |
| HST3000 | | | | | |
| HST3000 | HST3000T1 | T1 SIM for HST-3000 | HST3000-T1 | T1 SIM for HST-3000 | |
| HST3000 | | | | | |
| HST3000 | HST3000T3 | T1/T3 SIM for HST-3000 | HST3000-T3 | T1/T3 SIM for HST-3000 | \$1,664.00 |
| HST3000 | | | | | |
| HST3000 | HST3000WB2 | HST3000-WB2 - WB2 Copper Test SIM | HST3000-WB2 | WB2 Copper Test SIM | \$608.00 |
| HST3000 | | | | | |
| HST3000 | HST3KETH-1 | HST3000-ETH-P3 Optical Ethernet Gold (Plus) | AC-007201 | Soft cover glove for HST | |
| HST3000 | | | AC-009801 | Large Strand Hook for HST3000 | |
| HST3000 | | | CB-016994 | Cable,CAT 5 SHLD,RJ45 10FT | |
| HST3000 | | | CB-019966 | Optical Cable: 3m multimode LC to LC, duplex | |
| HST3000 | | | CB-019968 | Optical Cable: 3m singlemode LC to LC, duplex | |
| HST3000 | | | CC-034601 | Large Carrying Case, HST3000 | |
| HST3000 | | | HST3000C-NG2 | HST Copper Mainframe | |
| HST3000 | | | HST3000-ETH | Ethernet SIM for HST-3000 | |
| HST3000 | | | HST3000-MSTR | Multiple Streams option for HST | |
| HST3000 | | | HST3000-OPTETH | Optical Ethernet option for HST-3000 | |
| HST3000 | | | HST3000S-H.323 | VoIP Signaling call controls for H.323 | |
| HST3000 | | | HST3000S-IP | Adv.IP Suite -- PING and Through Mode support | |
| HST3000 | | | HST3000S-IP-VIDEO | HST-3000 IP Video S/W option | |
| HST3000 | | | HST3000S-MGCP | VoIP Signaling Option for MGCP call control | |
| HST3000 | | | HST3000S-MOS | MOS(Mean Opinion Score) Analysis Option | |
| HST3000 | | | HST3000S-SCCP | VoIP Signaling Option for Cisco SCCP | |
| HST3000 | | | HST3000S-SIP | VoIP Signaling Option for SIP call control | |
| HST3000 | | | HST3000S-VOIP | VOIP Software option | |

| | | | | | |
|---------|------------|--|-----------------|--|------------|
| HST3000 | | | | | |
| HST3000 | HST30004WL | HST3000-4WLL - Combo SIM W/DDS-LL and Copper | HST3000-4WLL | Cu, DDS-LL | \$627.20 |
| HST3000 | | | | | |
| HST3000 | | | | | |
| HST3000 | HST3000M16 | Colour Mainframe with Copper capability | HST3000C-NG2 | HST Copper Mainframe | |
| HST3000 | | | HST3000-FTP | FTP software option for HST | |
| HST3000 | | | HST3000-RFL | RFL Option for HST3000C | |
| HST3000 | | | HST3000-SCRIPT | Scripted Test Option,HST3000C | |
| HST3000 | | | HST3000S-IP | Adv.IP Suite -- PING and Through Mode support | |
| HST3000 | | | HST3000-SPE | Spectral Noise Software Option for HST3000C-CE | |
| HST3000 | | | HST3000-TDR | TDR Option for HST3000C | |
| HST3000 | | | HST3000-WBTONES | WB TIMS Option for HST3000C | |
| HST3000 | | | HST-EQ-DATAPACK | HST-EQ-DATAPACK;HST3000 Embarq Data Check Pkg | |
| HST3000 | HST3000-M9 | Cu ADSL2+ TI (ATU-R Annex A) HST3000 system | HST3000C-NG2 | HST Copper Mainframe | \$2,160.00 |
| HST3000 | | | HST3000-FTP | FTP software option for HST | |
| HST3000 | | | HST3000-RFL | RFL Option for HST3000C | |
| HST3000 | | | HST3000-SCRIPT | Scripted Test Option,HST3000C | |
| HST3000 | | | HST3000S-IP | Adv.IP Suite -- PING and Through Mode support | |
| HST3000 | | | HST3000-SPE | Spectral Noise Software Option for HST3000C-CE | |
| HST3000 | | | HST3000-TDR | TDR Option for HST3000C | |
| HST3000 | | | HST3000-WBTONES | WB TIMS Option for HST3000C | |
| HST3000 | | | HST-EQ-DATAPACK | HST-EQ-DATAPACK;HST3000 Embarq Data Check Pkg | |
| HST3000 | | | | | |
| HST3000 | HST3K-E1DC | E1 / Datacom SIM HST3000-E1-DC | HST3000-E1-DC | E1 / Datacom | \$1,521.60 |
| HST3000 | | | | | |
| HST3000 | HST3K-ETH | Ethernet SIM 10/100/1G | HST3000-ETH | Ethernet SIM for HST-3000 | \$1,808.00 |
| HST3000 | | | HST3000-OPTETH | Optical Ethernet option for HST-3000 | |
| MAP200 | MAP-230 | MAP-200 3-slot Mainframe (display not incl.) | MAP-230B | MAP-200 3-slot Mainframe version B | \$2,992.00 |
| MAP200 | | | MAP-230HC | MAP-230 Hard Case | |
| MAP200 | | | | | |
| MAP200 | MAPA+A2-S1 | MAP-200 Attenuator mVOA-A2SSMM100MFP Module | MFP | FC/PC Bulkhead Connector type | \$3,824.00 |
| MAP200 | | | | | |
| MAP200 | MAPM+A1-S1 | MAP-200 Power Meter MOPM-A1100 Module | MOPM-A1100 | MOPM-A1100;3 mm InGaAs Detector on Channel 1 | \$3,632.00 |
| MAP200 | | | | | |
| MAP200 | MBBSA1C050 | MAP-200 C-Band Broadband Source | MBBS-A1C050 | C-Band Broadband Source, 50 mW output power | \$6,224.00 |
| MAP200 | | | | | |
| MAP200 | MFPL-A1200 | MAP-200 Fabry-Perot bi-wavelength laser | MFA | FC/APC Bulkhead Connector type | \$8,624.00 |
| MAP200 | | | MFPL-A1200 | Fabry-Perot bi-wavelength laser source | |
| MAP200 | | | MWL1310A | 1310 nm Wavelength | |

| | | | | | |
|---------|------------|--|------------------|--|-------------|
| MAP200 | | | MWL1550A | 1550 nm Wavelength | |
| MAP200 | | | | | |
| MAP200 | MLCSA2112B | MAP-200 Single 1X12 Switch, Bulkheads (Dual Width) | MLCS-A2112B | MAP-200 Large Channel Count Switch 1x12 Bulkhead | \$2,272.00 |
| MAP200 | | | | | |
| MAP200 | MOPMB1PMH | MAP-200 3mm InGaAs Premium Performance Panel mount | MOPM-B1PMH | OPM-B Panel Mount Head Cassette | \$7,761.60 |
| MAP200 | | | MPMHP | OPM-B High Power Panel Mount Head | |
| MAP200 | | | | | |
| MAP200 | MOPMB1RHHP | MAP-200 OPM-B 2mm InGaAs High Power Remote Head | MOPM-B1RHHP | OPM-B 2mm InGaAs High Power Remote Head | \$1,712.00 |
| MAP200 | | | | | |
| MAP200 | MUTLA10001 | MAP-200 MAP Utility Cassette MWDM-A1100GE | MUTL-A1000 | MAP Utility Cassette, Blank | \$2,544.00 |
| MAP200 | | | MWDM-A1100GE | MAP Utility, 100GE Passive LAN-WDM Mux / Demux pair | |
| MAP200 | | | | | |
| MAP200 | MVOAA2DSM | MAP-200 Dual VOA, Standard Power, Power Monitor | MVOA-A2DSM | Dual VOA, Standard Power, with Integrated Power Monitor | \$6,384.00 |
| MAP200 | | | | | |
| MAP200 | MAPM+A1-S1 | MAP-200 Power Meter MOPM-A1100 Module | MOPM-A1100 | MOPM-A1100; 3 mm InGaAs Detector on Channel 1 | \$1,872.00 |
| MAP200 | | | | | |
| MAP200 | MLCSA1204B | MAP-200 Dual Indep. MAP-200 1X4 Switch, Bulkheads | MLCS-A1204B | Dual Independent 1X4 Switch, Bulkheads | \$2,272.00 |
| MAP200 | | | | | |
| MAP200 | MOPMB1RH1 | MAP-200 OPM-B Single Channel Cassette | MOPM-B1RH1 | OPM-B Single Channel Cassette for MOPM-B1 Remote Head | |
| MAP200 | | | | | |
| MAP200 | MOPMB1RHPP | MAP-200 OPM-B 3mm InGaAs Prem. Perf. Rem. Head | MOPM-B1RHPP | OPM-B 3mm InGaAs Premium Performance Remote Head | \$2,224.00 |
| MAP200 | | | | | |
| MAP200 | MORL-A1 | MAP-200 IL/RL Meter, Bi-Di, Quad Wave | MORL-A13456-MBID | IL/RL Meter, Quad Wave (1310, 1490, 1550, 1625) | \$15,104.00 |
| MAP200 | | | | | |
| MAP200 | MORL-A1-1 | MAP200 -IL/RL Meter Quad Wave | AC917 | MPO-MTP Detector Adapter for mORL and mOPM (locking) | \$14,016.00 |
| MAP200 | | | AC990 | 72 Fiber Integrating Sphere for mORL and mOPM | |
| MAP200 | | | M100 | 9/125 fiber type | |
| MAP200 | | | MBID | Bi-directional Option for the mORL module | |
| MAP200 | | | MFA | FC/APC Bulkhead Connector type | |
| MAP200 | | | MORL-A13456 | IL/RL Meter, Quad Wave (1310, 1490, 1550, 1625) | |
| MAP200 | | | | | |
| MTS4000 | C4000-LAN | ESAM KIT for MTS/T-BERD 4000 (Module Only) | C4000-LAN | ESAM KIT for MTS/T-BERD 4000 (does not include UIM/base) | \$3,520.00 |
| MTS4000 | | | | | |
| MTS4000 | COSA-4055 | MTS4000 COSA-4055 CWDM Analyzer (2301/01) | 2301/01 | COSA-4055 CWDM Analyzer | \$2,768.00 |

| | | | | | |
|---------|------------|---|----------------------|---|------------|
| MTS4000 | | | | | |
| MTS4000 | COSA-40552 | MTS-4000 CWDM Analyzer w/SFP Bay (2301/02) | 2301/02 | COSA-4055 CWDM Analyzer with SFP Bay | \$3,520.00 |
| MTS4000 | | | | | |
| MTS4000 | MTS4000TM5 | TB/MTS-4000 mainframe with touchscreen | 40PMVFL | Optical Power Meter and VFL with 2.5mm UPP connector | \$2,400.00 |
| MTS4000 | | | M4000T | MTS-4000 Fiber/Copper Platform with touchscreen | |
| MTS4000 | | | | | |
| MTS4000 | MTS4118-M1 | Metro-Access Range Filtered 1650nm OTDR Mod | E4118RMA65 | Metro-Access Range Filtered 1650nm OTDR Module | \$3,520.00 |
| MTS4000 | | | EUNIPCSC | Universal PC connector with SC adapter | |
| MTS4000 | | | | | |
| MTS4000 | MTS4136LM1 | Last Mile Range 1310/1550/1625nm OTDR Module | E4136LM | Last Mile Range 1310/1550/1625nm OTDR Module | \$2,496.00 |
| MTS4000 | | | E41OTDRLS | Light Source Option for T-BERD/MTS-4000 OTDR Modules | |
| MTS4000 | | | EUNIPCFC | Universal PC connector with FC adapter | |
| MTS4000 | | | | | |
| MTS4000 | OLP-4057L2 | MTS4000 (2295/04)PON 1310/1490nm Power Meter | 2295/04 | OLP-4057 FTtx Sel. PM 1310/1490 nm PC, w. BB-Powermeter | \$1,040.00 |
| MTS4000 | | | | | |
| MTS4000 | COSA-4055 | MTS/TB4000 COSA-4055 CWDM Analyzer (2301/01) | 2301/01 | COSA-4055 CWDM Analyzer | \$2,768.00 |
| MTS4000 | | | | | |
| MTS4000 | COSA-40552 | MTS-4000 CWDM Analyzer w/SFP Bay (2301/02) | 2301/02 | COSA-4055 CWDM Analyzer with SFP Bay | \$3,040.00 |
| MTS4000 | | | | | |
| MTS4000 | MTS4000T1 | ESAM with MTS 4000 with VoIP and WLAN for L.A | MTS4-DIS-LANVOIPWLAN | ESAM WITH MTS 4000 BASE with VoIP and WLAN - UK & EMEA | \$4,640.00 |
| MTS4000 | | | | | |
| MTS4000 | MTS4126LM | Last Mile Range 1310/1550nm OTDR Module | E4126LM | Last Mile Range 1310/1550nm OTDR Module | \$1,744.00 |
| MTS4000 | | | E41OTDRLS | Light Source Option for T-BERD/MTS-4000 OTDR Modules | |
| MTS4000 | | | | | |
| MTS4000 | MTS4136LM | Last Mile Range 1310/1550/1625nm OTDR Module | E4136LM | Last Mile Range 1310/1550/1625nm OTDR Module | \$2,496.00 |
| MTS4000 | | | E41OTDRLS | Light Source Option for T-BERD/MTS-4000 OTDR Modules | |
| MTS4000 | | | EUNIAPCSC | Universal APC connector with SC adapter | |
| MTS4000 | | | | | |
| MTS4000 | MTS4136LMA | Last Mile Range 1310/1550/1625nm OTDR Module | E41OTDRLS | Light Source Option for T-BERD/MTS-4000 OTDR Modules | \$2,288.00 |
| MTS4000 | | | EUNIPCFC | Universal PC connector with FC adapter | |
| MTS4000 | | | | | |
| MTS4000 | TB4000T1 | TB/MTS-4000 mainframe with touchscreen | 40PMVFL | Optical Power Meter and VFL with 2.5mm UPP connector | \$2,400.00 |
| MTS4000 | | | M4000T | MTS-4000 Fiber/Copper Platform with touchscreen | |
| MTS4000 | | | | | |

| | | | | | |
|---------|----------|--|---------------------|--|------------|
| MTS4000 | TB4000T2 | Mainframe with copper & touchscreen | 40PMVFL | Optical Power Meter and VFL with 2.5mm UPP connector | \$7,072.00 |
| MTS4000 | | | C4000-CBLDIAG | Cable Diagnostics option | |
| MTS4000 | | | C4000-CUVDSL-INF | Combination Copper VDSL Infineon Module | |
| MTS4000 | | | C4000-DRDSLCORE | DR DSL SW Option | |
| MTS4000 | | | C4000-IPTV | IPTV SW option | |
| MTS4000 | | | C4000-TDR | TDR/RFL option | |
| MTS4000 | | | C4000-VOIP | VOIP option | |
| MTS4000 | | | C4000-VOIP-CISCO | Cisco Call manager SW Option | |
| MTS4000 | | | C4000-VOIP-UNISTIM | UNISTIM Call Manager | |
| MTS4000 | | | C4000-WBTONE | Wide-Band option | |
| MTS4000 | | | M4000T | MTS-4000 Fiber/Copper Platform with touchscreen | |
| MTS4000 | | | ULTRAFED | UltraFEDII with Standard Accessories | |
| MTS4000 | | | | | |
| MTS4000 | TB4000T3 | Mainframe with copper & touchscreen | 40PMVFL | Optical Power Meter and VFL with 2.5mm UPP connector | \$8,096.00 |
| MTS4000 | | | 40WIFIBLU | Wifi/Bluetooth Option for 4000 Platform | |
| MTS4000 | | | C4000-DRDSLCORE | DR DSL SW Option | |
| MTS4000 | | | C4000-VOIP-UNISTIM | UNISTIM Call Manager | |
| MTS4000 | | | C4000-WBTONE | Wide-Band option | |
| MTS4000 | | | M4000T | MTS-4000 Fiber/Copper Platform with touchscreen | |
| MTS4000 | TB4000T5 | ESAM with T-BERD 4000 with VoIP and WLAN | TB4-DIS-LANVOIPWLAN | ESAM WITH T-BERD 4000 BASE with VoIP and WLAN | \$4,640.00 |
| MTS4000 | | | | | |
| MTS4000 | TB4000T7 | TB/MTS-4000 Mainframe | 40PMVFL | Optical Power Meter and VFL with 2.5mm UPP connector | \$1,712.00 |
| MTS4000 | | | 40WIFIBLU | Wifi/Bluetooth Option for 4000 Platform | |
| MTS4000 | | | E40GLOVE | Glove soft case for MTS/T-BERD 4000 platform | |
| MTS4000 | | | EDFSCOPE5K | P5000 Digital scope kit | |
| MTS4000 | | | TB4000HPT | TB4000HPT;T-Berd 4000 Fiber Copper In-Home Platform | |
| MTS4000 | | | | | |
| MTS4000 | TB4000T8 | Mainframe w/ copper & touchscreen (CTB4000T) | AC-009801 | Large Strand Hook for HST3000 | \$9,104.00 |
| MTS4000 | | | C4000-CUVDSL-INF | Combination Copper VDSL Infineon Module | |
| MTS4000 | | | C40PWUS | AC/DC adapter with US power cord | |
| MTS4000 | | | CB-008502 | Lineman cble assmblyT/R/G clip lead bed-of-nails | |
| MTS4000 | | | TB4000T | T-BERD 4000 Fiber/Copper Platform with touchscreen | |
| MTS4000 | | | ULTRAFED | UltraFEDII with Standard Accessories | |
| MTS4000 | | | ULTRAFED-CB-BON | UltraFED cable RJ45 to 7 Clip Leads (Bed of Nails) | |
| MTS4000 | | | | | |
| MTS4000 | TB4000T9 | TB/MTS-4000 MFrame + Touch + Wifi Bluetooth | AC-009801 | Large Strand Hook for HST3000 | \$6,672.00 |

| | | | | | |
|----------|------------|--|-----------------|--|------------|
| MTS4000 | | | C40PWUS | AC/DC adapter with US power cord | |
| MTS4000 | | | TB4000T | T-BERD 4000 Fiber/Copper Platform with touchscreen | |
| MTS4000 | | | | | |
| MTS4000 | MTS4000T12 | Fiber/Copper/in-Home touchscreen platform | 40PMVFL | Optical Power Meter and VFL with 2.5mm UPP connector | \$2,768.00 |
| MTS4000 | | | E40SCASE1 | Soft Case for MTS/T-BERD 2000/4000 | |
| MTS4000 | | | M4000HPT | MTS-4000 Fiber/Copper/in-Home Platform with Touchscreen | |
| MTS4000 | | | | | |
| MTS6000A | E8140CWDM1 | 4-wavelength CWDM OTDR 1551/1571/1591/1611nm | E8140OTDRCWDM1 | 4-wavelength CWDM OTDR 1551/1571/1591/1611nm | \$4,848.00 |
| MTS6000A | | | E81OTDRLS | Light source option: VLR,LR,MR,VSRe, 4?-SRL(SM) & CWDM OTDRs | |
| MTS6000A | | | EUNIAPCSC | Universal APC connector with SC adapter | |
| MTS6000A | | | | | |
| MTS6000A | E8140CWDM2 | 4-wavelength CWDM OTDR 1471/1491/1511/1531nm | E8140OTDRCWDM2 | 4-wavelength CWDM OTDR 1471/1491/1511/1531nm | \$4,848.00 |
| MTS6000A | | | E81OTDRLS | Light source option: VLR,LR,MR,VSRe, 4?-SRL(SM) & CWDM OTDRs | |
| MTS6000A | | | EUNIAPCSC | Universal APC connector with SC adapter | |
| MTS6000A | | | | | |
| MTS6000A | E81BBS2A | 1260-1640nm Broadband Source plug-in for CD/PMD/AP | E81BBS2A | 1260-1640nm Broadband Source plug-in for CD/PMD/AP | \$9,472.00 |
| MTS6000A | | | | | |
| MTS6000A | MTS6000A17 | 10/100/1000M, GigE Dual Port, 850/1310nm | C1004 | Dual Port (one port 10M-10G, one port 10M-4G) MSAM | \$3,776.00 |
| MTS6000A | | | CT10M1GE | 10M-1G Electrical & Optical Ethernet Test Option | |
| MTS6000A | | | CTCOS | Multiple Streams/COS Test Option | |
| MTS6000A | | | EM6000AT | MTS 6000A Platform | |
| MTS6000A | | | ETB6000AT | T-BERD 6000A Platform | |
| MTS6000A | | | TB6000A-GIGE-DP | TB-6000A 10/100/1000M, GigE Dual Port Package | |
| MTS6000A | | | | | |
| MTS6000A | MTS6000A19 | 10/100/1000M, GigE Dual Port 850/1310nm | C0404 | Dual Port 10M-4G MSAM | \$7,792.00 |
| MTS6000A | | | CT10M1GE | 10M-1G Electrical & Optical Ethernet Test Option | |
| MTS6000A | | | CTCOS | Multiple Streams/COS Test Option | |
| MTS6000A | | | CTETHSOAM | Ethernet Service and Link Layer OAM Test Option | |
| MTS6000A | | | CTIPVIDEO | IP Video Test Option | |
| MTS6000A | | | CTJPROOF | J-Proof Layer 2 Transparency Test Option | |
| MTS6000A | | | CTLAYER4 | 1G Layer 4 TCP WireSpeed Test Option for MSAM | |
| MTS6000A | | | CTLSJPROFILER | 10M-1G J-Profiler Traffic Explorer Test Option | |

| | | | | | |
|----------|------------|---|-----------------|--|-------------|
| MTS6000A | | | EM6000AT | MTS 6000A Platform | |
| MTS6000A | | | ETB6000AT | T-BERD 6000A Platform | |
| MTS6000A | | | TB6000A-GIGE-DP | TB-6000A 10/100/1000M, GigE Dual Port Package | |
| MTS6000A | MTS6000A20 | SDH/Sonet Tester (Up to 10Gb/s)+Lan to 10G/FC/OTU | C1004 | Dual Port (one port 10M-10G, one port 10M-4G) MSAM | \$31,440.00 |
| MTS6000A | | | CFSCOPE400 | TBERD PROBE KIT;FBP P505 PROBE, USB, 7 TIPS, CASE | |
| MTS6000A | | | CPE3DS3BNC | E3/DS3/STS1 BNC Jitter Capable PIM | |
| MTS6000A | | | CT10GCAPTURE | Packet Capture at 10G test option for MSAM | |
| MTS6000A | | | CT10GELAN | 10GigE LAN Test Option | |
| MTS6000A | | | CT10GEWAN | 10GigE WAN Test Option | |
| MTS6000A | | | CT10GFC | 10G Fibre Channel Test Option | |
| MTS6000A | | | CT10GNG | 10G NewGen SON/SDH test option for MSAM | |
| MTS6000A | | | CT10GSONSDH | OC-192/STM-64 Test Option | |
| MTS6000A | | | CT10M1GE | 10M-1G Electrical & Optical Ethernet Test Option | |
| MTS6000A | | | CT155MSONSDH | OC-3/STM-1 Test Option | |
| MTS6000A | | | CT1G2GFC | 2G/1G Fibre Channel Test Option | |
| MTS6000A | | | CT25GSONSDH | OC-48/STM-16 Test Option | |
| MTS6000A | | | CT4GFC | 4G Fibre Channel Test Option | |
| MTS6000A | | | CT622MSONSDH | OC-12/STM-4 Test Option | |
| MTS6000A | | | CTCOS | Multiple Streams/COS Test Option | |
| MTS6000A | | | CTDS1DS3STS1 | DS1, DS3, STS1 Test Option | |
| MTS6000A | | | CTETHSOAM | Ethernet Service and Link Layer OAM Test Option | |
| MTS6000A | | | CTL2TRANSP | Layer 2 Transparency Test Option | |
| MTS6000A | | | CTLAYER4 | 1G Layer 4 TCP WireSpeed Test Option for MSAM | |
| MTS6000A | | | CTLSCAPTURE | Packet Capture at 10M - 1G test option for MSAM | |
| MTS6000A | | | CTLSNG | NewGen SON/SDH - 155M/622M/2.5G Test Option for MSAM | |
| MTS6000A | | | CTMACINMAC | MAC-in-MAC Test Option | |
| MTS6000A | | | CTMPLSVPLS | MPLS/VPLS Test Option | |
| MTS6000A | | | CTODUMUX12 | ODU 1/2 Muxing Test Option | |
| MTS6000A | | | CTOTU1 | OTN - OTU1 2.7G Test Option | |
| MTS6000A | | | CTOTU2 | OTN - OTU2 10.7G Test Option | |
| MTS6000A | | | CTOTU2E | OTN - OTU2e 11.05G,11.1G Test Option | |
| MTS6000A | | | CTRENTAL | SW Rental Optioning for MSAM | |
| MTS6000A | | | CTVT100 | VT-100 Test Option for MSAM | |
| MTS6000A | | | EFSCOPE400 | MTS PROBE KIT;FBP P505 PROBE, USB, 7 TIPS, CASE | |
| MTS6000A | | | EM6000AT | MTS 6000A Platform | |
| MTS6000A | | | ETB6000AT | T-BERD 6000A Platform | |

| | | | | | |
|----------|------------|--|-----------------------|--|-------------|
| MTS6000A | | | TB6000A-OC192-10GE-DP | TB-6000A DS1-OC192, 10GE LAN/WAN, GigE Dual Port Package | |
| MTS6000A | | | | | |
| MTS6000A | MTS6000A21 | SDH/Sonet Tester (Up to 2.5Gb/s)+ Lan/FC/OTU | C0404 | Dual Port 10M-4G MSAM | \$17,936.00 |
| MTS6000A | | | CFSCOPE400 | TBERD PROBE KIT;FBP P505 PROBE, USB, 7 TIPS, CASE | |
| MTS6000A | | | CPDS1BANT | DS1 Bantam PIM - Jitter Capable | |
| MTS6000A | | | CPE3DS3BNC | E3/DS3/STS1 BNC Jitter Capable PIM | |
| MTS6000A | | | CT10M1GE | 10M-1G Electrical & Optical Ethernet Test Option | |
| MTS6000A | | | CT155MSONSDH | OC-3/STM-1 Test Option | |
| MTS6000A | | | CT1G2GFC | 2G/1G Fibre Channel Test Option | |
| MTS6000A | | | CT25GSONSDH | OC-48/STM-16 Test Option | |
| MTS6000A | | | CT4GFC | 4G Fibre Channel Test Option | |
| MTS6000A | | | CT622MSONSDH | OC-12/STM-4 Test Option | |
| MTS6000A | | | CTCOS | Multiple Streams/COS Test Option | |
| MTS6000A | | | CTDS1DS3STS1 | DS1, DS3, STS1 Test Option | |
| MTS6000A | | | CTETHSOAM | Ethernet Service and Link Layer OAM Test Option | |
| MTS6000A | | | CTIPVIDEO | IP Video Test Option | |
| MTS6000A | | | CTL2TRANSP | Layer 2 Transparency Test Option | |
| MTS6000A | | | CTLAYER4 | 1G Layer 4 TCP WireSpeed Test Option for MSAM | |
| MTS6000A | | | CTLSCAPTURE | Packet Capture at 10M - 1G test option for MSAM | |
| MTS6000A | | | CTLSNG | NewGen SON/SDH - 155M/622M/2.5G Test Option for MSAM | |
| MTS6000A | | | CTMACINMAC | MAC-in-MAC Test Option | |
| MTS6000A | | | CTMPLSVPLS | MPLS/VPLS Test Option | |
| MTS6000A | | | CTOTU1 | OTN - OTU1 2.7G Test Option | |
| MTS6000A | | | CTREMCTRL | Command Line Remote Control Test Option | |
| MTS6000A | | | CTRENTAL | SW Rental Optioning for MSAM | |
| MTS6000A | | | CTVT100 | VT-100 Test Option for MSAM | |
| MTS6000A | | | EFSCOPE400 | MTS PROBE KIT;FBP P505 PROBE, USB, 7 TIPS, CASE | |
| MTS6000A | | | EM6000AT | MTS 6000A Platform | |
| MTS6000A | | | ETB6000AT | T-BERD 6000A Platform | |
| MTS6000A | | | | | |
| MTS6000A | MTS6000A30 | SDH/Sonet Tester (Up to 10Gb/s)+ Lan to 1G | C1004 | Dual Port (one port 10M-10G, one port 10M-4G) MSAM | \$9,984.00 |
| MTS6000A | | | CFSCOPE400 | TBERD PROBE KIT;FBP P505 PROBE, USB, 7 TIPS, CASE | |
| MTS6000A | | | CPDS1BANT | DS1 Bantam PIM - Jitter Capable | |
| MTS6000A | | | CPE3DS3BNC | E3/DS3/STS1 BNC Jitter Capable PIM | |
| MTS6000A | | | CT10GSONSDH | OC-192/STM-64 Test Option | |
| MTS6000A | | | CT10M1GE | 10M-1G Electrical & Optical Ethernet Test Option | |

| | | | | | |
|----------|------------|---|----------------------|--|------------|
| MTS6000A | | | CT155MSONSDH | OC-3/STM-1 Test Option | |
| MTS6000A | | | CT25GSONSDH | OC-48/STM-16 Test Option | |
| MTS6000A | | | CT622MSONSDH | OC-12/STM-4 Test Option | |
| MTS6000A | | | CTCOS | Multiple Streams/COS Test Option | |
| MTS6000A | | | CTDS1DS3STS1 | DS1, DS3, STS1 Test Option | |
| MTS6000A | | | E8026LTSTS | Optical loss test set 1310/1550nm with talk set | |
| MTS6000A | | | E8026LTSTSORL | Combined LTS and ORL 1310/1550nm with Talk Set | |
| MTS6000A | | | EFSCOPE400 | MTS PROBE KIT;FBP P505 PROBE, USB, 7 TIPS, CASE | |
| MTS6000A | | | EM6000AT | MTS 6000A Platform | |
| MTS6000A | | | ETB6000AT | T-BERD 6000A Platform | |
| MTS6000A | | | TB6000A-OC48-GIGE-DP | TB-6000A DS1-OC48 & GigE Dual Port Package | |
| MTS6000A | | | | | |
| MTS6000A | MTS6000A33 | SDH/Sonet Tester (Up to 2.5Gb/s)+ Lan to 1G | C1004 | Dual Port (one port 10M-10G, one port 10M-4G) MSAM | \$8,352.00 |
| MTS6000A | | | CFSCOPE400 | TBERD PROBE KIT;FBP P505 PROBE, USB, 7 TIPS, CASE | |
| MTS6000A | | | CPDS1BANT | DS1 Bantam PIM - Jitter Capable | |
| MTS6000A | | | CPE3DS3BNC | E3/DS3/STS1 BNC Jitter Capable PIM | |
| MTS6000A | | | CT10M1GE | 10M-1G Electrical & Optical Ethernet Test Option | |
| MTS6000A | | | CT155MSONSDH | OC-3/STM-1 Test Option | |
| MTS6000A | | | CT25GSONSDH | OC-48/STM-16 Test Option | |
| MTS6000A | | | CT622MSONSDH | OC-12/STM-4 Test Option | |
| MTS6000A | | | CTCOS | Multiple Streams/COS Test Option | |
| MTS6000A | | | CTDS1DS3STS1 | DS1, DS3, STS1 Test Option | |
| MTS6000A | | | CTETHSOAM | Ethernet Service and Link Layer OAM Test Option | |
| MTS6000A | | | CTJPROOF | J-Proof Layer 2 Transparency Test Option | |
| MTS6000A | | | CTL1HADELAY | High Availability (Precision) L1 Latency Test Option | |
| MTS6000A | | | CTLAYER4 | 1G Layer 4 TCP WireSpeed Test Option for MSAM | |
| MTS6000A | | | CTLS1588 | IEEE 1588 10M-1G MSAM Test Option | |
| MTS6000A | | | CTLSSYNCE | 1GE Synchronous Ethernet MSAM Test Option | |
| MTS6000A | | | CTMACINMAC | MAC-in-MAC Test Option | |
| MTS6000A | | | CTMPLSTP | MPLST-TP & OAM MSAM Test Option | |
| MTS6000A | | | E8026LTSTS | Optical loss test set 1310/1550nm with talk set | |
| MTS6000A | | | E8026LTSTSORL | Combined LTS and ORL 1310/1550nm with Talk Set | |
| MTS6000A | | | EFSCOPE400 | MTS PROBE KIT;FBP P505 PROBE, USB, 7 TIPS, CASE | |

| | | | | | |
|----------|------------|---|----------------------|--|-------------|
| MTS6000A | | | EM6000AT | MTS 6000A Platform | |
| MTS6000A | | | ETB6000AT | T-BERD 6000A Platform | |
| MTS6000A | | | TB6000A-OC48-GIGE-DP | TB-6000A DS1-OC48 & GigE Dual Port Package | |
| MTS6000A | MTS6000A35 | All SONET/SDH rates to 10Gb/s +OTN/ETH/FC | C1004 | Dual Port (one port 10M-10G, one port 10M-4G) MSAM | \$31,440.00 |
| MTS6000A | | | CFSCOPE400 | TBERD PROBE KIT;FBP P505 PROBE, USB, 7 TIPS, CASE | |
| MTS6000A | | | CPDS1BANT | DS1 Bantam PIM - Jitter Capable | |
| MTS6000A | | | CPE1BNC | E1 BNC Jitter Capable PIM | |
| MTS6000A | | | CPE3DS3BNC | E3/DS3/STS1 BNC Jitter Capable PIM | |
| MTS6000A | | | CPE4STM1BNC | E4/STM1e BNC Jitter Capable PIM | |
| MTS6000A | | | CT10GCAPTURE | Packet Capture at 10G test option for MSAM | |
| MTS6000A | | | CT10GELAN | 10GigE LAN Test Option | |
| MTS6000A | | | CT10GEWAN | 10GigE WAN Test Option | |
| MTS6000A | | | CT10GFC | 10G Fibre Channel Test Option | |
| MTS6000A | | | CT10GLAYER4 | 10G Layer 4 TCP Wire Speed Test Option for MSAM | |
| MTS6000A | | | CT10GNG | 10G NewGen SON/SDH test option for MSAM | |
| MTS6000A | | | CT10GSONSDH | OC-192/STM-64 Test Option | |
| MTS6000A | | | CT10GSYNCE | 10GE Synchronous Ethernet MSAM Test Option | |
| MTS6000A | | | CT10M1GE | 10M-1G Electrical & Optical Ethernet Test Option | |
| MTS6000A | | | CT155MSONSDH | OC-3/STM-1 Test Option | |
| MTS6000A | | | CT1G2GFC | 2G/1G Fibre Channel Test Option | |
| MTS6000A | | | CT25GSONSDH | OC-48/STM-16 Test Option | |
| MTS6000A | | | CT4GFC | 4G Fibre Channel Test Option | |
| MTS6000A | | | CT622MSONSDH | OC-12/STM-4 Test Option | |
| MTS6000A | | | CTCDI | MSAM Conditioned Diphas Test Option | |
| MTS6000A | | | CTCOS | Multiple Streams/COS Test Option | |
| MTS6000A | | | CTDS1DS3STS1 | DS1, DS3, STS1 Test Option | |
| MTS6000A | | | CTE1E3E4STM1E | E1, E3, E4, STM1e Test Option | |
| MTS6000A | | | CTELECIIT | PDH Electrical RX & TX Jitter Test Option | |
| MTS6000A | | | CTETHSOAM | Ethernet Service and Link Layer OAM Test Option | |
| MTS6000A | | | CTHSDATA | MSAM High Speed Datacom Test Option | |
| MTS6000A | | | CTIPV6 | IPv6 Test Option for MSAM | |
| MTS6000A | | | CTIPVIDEO | IP Video Test Option | |
| MTS6000A | | | CTJPROOF | J-Proof Layer 2 Transparency Test Option | |
| MTS6000A | | | CTLAYER4 | 1G Layer 4 TCP WireSpeed Test Option for MSAM | |
| MTS6000A | | | CTLS1588 | IEEE 1588 10M-1G MSAM Test Option | |
| MTS6000A | | | CTLSCAPTURE | Packet Capture at 10M - 1G test option for MSAM | |

| | | | | | |
|----------|------------|---|---------------|---|-------------|
| MTS6000A | | | CTLSJPROFILER | 10M-1G J-Profiler Traffic Explorer Test Option | |
| MTS6000A | | | CTLSNG | NewGen SON/SDH - 155M/622M/2.5G Test Option for MSAM | |
| MTS6000A | | | CTLSSYNCE | 1GE Synchronous Ethernet MSAM Test Option | |
| MTS6000A | | | CTMACINMAC | MAC-in-MAC Test Option | |
| MTS6000A | | | CTMDI | MDI for IP Video MSAM Test Option | |
| MTS6000A | | | CTMPLSTP | MPLST-TP & OAM MSAM Test Option | |
| MTS6000A | | | CTMPLSVPLS | MPLS/VPLS Test Option | |
| MTS6000A | | | CTMSTV | MSTV MSAM Test Option | |
| MTS6000A | | | CTODUMUX12 | ODU 1/2 Muxing Test Option | |
| MTS6000A | | | CTOTU1 | OTN - OTU1 2.7G Test Option | |
| MTS6000A | | | CTOTU2 | OTN - OTU2 10.7G Test Option | |
| MTS6000A | | | CTOTU2E | OTN - OTU2e 11.05G,11.1G Test Option | |
| MTS6000A | | | CTREMLCTRL | Command Line Remote Control Test Option | |
| MTS6000A | | | CTSCCP | SCCP Signaling for MSAM VoIP Test Option | |
| MTS6000A | | | CTVOIP | VoIP MSAM Test Option with SIP & H.323 Fast | |
| MTS6000A | | | CTVT100 | VT-100 Test Option for MSAM | |
| MTS6000A | | | E8026LTSTSORL | Combined LTS and ORL 1310/1550nm with Talk Set | |
| MTS6000A | | | E80BIDIR | Bidirectional OTDR acquisition option for singlemode module | |
| MTS6000A | | | E80VFL | VFL with 2.5mm UPP connector | |
| MTS6000A | | | EFSCOPE400 | MTS PROBE KIT;FBP P505 PROBE, USB, 7 TIPS, CASE | |
| MTS6000A | | | EM6000AT | MTS 6000A Platform | |
| MTS6000A | | | ETB6000AT | T-BERD 6000A Platform | |
| MTS6000A | | | | | |
| MTS6000A | MTS6000A36 | 10G SDH/SONET/ETHERNET(1310/1550nm) inc 10/100/1G | C1004 | Dual Port (one port 10M-10G, one port 10M-4G) MSAM | \$14,128.00 |
| MTS6000A | | | CFSCOPE400 | TBERD PROBE KIT;FBP P505 PROBE, USB, 7 TIPS, CASE | |
| MTS6000A | | | CPDS1BANT | DS1 Bantam PIM - Jitter Capable | |
| MTS6000A | | | CPE3DS3BNC | E3/DS3/STS1 BNC Jitter Capable PIM | |
| MTS6000A | | | CT10GELAN | 10GigE LAN Test Option | |
| MTS6000A | | | CT10GEWAN | 10GigE WAN Test Option | |
| MTS6000A | | | CT10GSONSDH | OC-192/STM-64 Test Option | |
| MTS6000A | | | CT10M1GE | 10M-1G Electrical & Optical Ethernet Test Option | |
| MTS6000A | | | CT155MSONSDH | OC-3/STM-1 Test Option | |
| MTS6000A | | | CT1G2GFC | 2G/1G Fibre Channel Test Option | |
| MTS6000A | | | CT25GSONSDH | OC-48/STM-16 Test Option | |
| MTS6000A | | | CT622MSONSDH | OC-12/STM-4 Test Option | |
| MTS6000A | | | CTCOS | Multiple Streams/COS Test Option | |
| MTS6000A | | | CTDS1DS3STS1 | DS1, DS3, STS1 Test Option | |

| | | | | | |
|----------|------------|---|-----------------------|--|-------------|
| MTS6000A | | | CUSB-HEADSET | USB Audio Headset and Microphone for 6000A | |
| MTS6000A | | | E8026LTSTSORL | Combined LTS and ORL 1310/1550nm with Talk Set | |
| MTS6000A | | | E80HCASE | HARD CARRYING CASE - MULTIMODULE CONFIGURATION | |
| MTS6000A | | | E80VFL | VFL with 2.5mm UPP connector | |
| MTS6000A | | | EFSCOPE400 | MTS PROBE KIT;FBP P505 PROBE, USB, 7 TIPS, CASE | |
| MTS6000A | | | EM6000AT | MTS 6000A Platform | |
| MTS6000A | | | ETB6000AT | T-BERD 6000A Platform | |
| MTS6000A | | | TB6000A-OC192-10GE-DP | TB-6000A DS1-OC192, 10GE LAN/WAN, GigE Dual Port Package | |
| MTS6000A | | | | | |
| MTS6000A | MTS6000A37 | All SONET/SDH rates to 10Gb/s +OTN/ETH/FC | C1004 | Dual Port (one port 10M-10G, one port 10M-4G) MSAM | \$31,440.00 |
| MTS6000A | | | CB-019965 | Optical Cable: 3m multimode LC to LC, simplex | |
| MTS6000A | | | CB-019967 | Optical Cable: 3m singlemode LC to LC, simplex | |
| MTS6000A | | | CPDS1BANT | DS1 Bantam PIM - Jitter Capable | |
| MTS6000A | | | CPE1BNC | E1 BNC Jitter Capable PIM | |
| MTS6000A | | | CPE3DS3BNC | E3/DS3/STS1 BNC Jitter Capable PIM | |
| MTS6000A | | | CPE4STM1BNC | E4/STM1e BNC Jitter Capable PIM | |
| MTS6000A | | | CT10GELAN | 10GigE LAN Test Option | |
| MTS6000A | | | CT10GEWAN | 10GigE WAN Test Option | |
| MTS6000A | | | CT10GFC | 10G Fibre Channel Test Option | |
| MTS6000A | | | CT10GSONSDH | OC-192/STM-64 Test Option | |
| MTS6000A | | | CT10M1GE | 10M-1G Electrical & Optical Ethernet Test Option | |
| MTS6000A | | | CT155MSONSDH | OC-3/STM-1 Test Option | |
| MTS6000A | | | CT1G2GFC | 2G/1G Fibre Channel Test Option | |
| MTS6000A | | | CT25GSONSDH | OC-48/STM-16 Test Option | |
| MTS6000A | | | CT4GFC | 4G Fibre Channel Test Option | |
| MTS6000A | | | CT622MSONSDH | OC-12/STM-4 Test Option | |
| MTS6000A | | | CTCOS | Multiple Streams/COS Test Option | |
| MTS6000A | | | CTDS1DS3STS1 | DS1, DS3, STS1 Test Option | |
| MTS6000A | | | CTE1E3E4STM1E | E1, E3, E4, STM1e Test Option | |
| MTS6000A | | | CTETHSOAM | Ethernet Service and Link Layer OAM Test Option | |
| MTS6000A | | | CTIPVIDEO | IP Video Test Option | |
| MTS6000A | | | CTL2TRANSP | Layer 2 Transparency Test Option | |
| MTS6000A | | | CTLAYER4 | 1G Layer 4 TCP WireSpeed Test Option for MSAM | |
| MTS6000A | | | CTMACINMAC | MAC-in-MAC Test Option | |
| MTS6000A | | | CTMPLSVPLS | MPLS/VPLS Test Option | |
| MTS6000A | | | CTOTU1 | OTN - OTU1 2.7G Test Option | |

| | | | | | |
|----------|------------|---|---------------|---|-------------|
| MTS6000A | | | CTOTU2 | OTN - OTU2 10.7G Test Option | |
| MTS6000A | | | CTOTU2E | OTN - OTU2e 11.05G,11.1G Test Option | |
| MTS6000A | | | CTVT100 | VT-100 Test Option for MSAM | |
| MTS6000A | | | E8026LTSTSORL | Combined LTS and ORL 1310/1550nm with Talk Set | |
| MTS6000A | | | E80PWUS | Standard Additional AC Adapter/Charger (USA). NOT for 6000A | |
| MTS6000A | | | E80VFL | VFL with 2.5mm UPP connector | |
| MTS6000A | | | ETB6000AT | T-BERD 6000A Platform | |
| MTS6000A | | | PIM-CASE-3 | PIM (Physical Interface Module) Soft Case Holds 3 | |
| MTS6000A | | | | | |
| MTS6000A | MTS6000A38 | JDSU. 10G SDH/ETHERNET(1310/1550nm) inc 10/100/1G | C1004 | Dual Port (one port 10M-10G, one port 10M-4G) MSAM | \$31,440.00 |
| MTS6000A | | | CT10GELAN | 10GigE LAN Test Option | |
| MTS6000A | | | CT10GEWAN | 10GigE WAN Test Option | |
| MTS6000A | | | CT10GSONSDH | OC-192/STM-64 Test Option | |
| MTS6000A | | | CT10M1GE | 10M-1G Electrical & Optical Ethernet Test Option | |
| MTS6000A | | | CT155MSONSDH | OC-3/STM-1 Test Option | |
| MTS6000A | | | CT25GSONSDH | OC-48/STM-16 Test Option | |
| MTS6000A | | | CT622MSONSDH | OC-12/STM-4 Test Option | |
| MTS6000A | | | CTCOS | Multiple Streams/COS Test Option | |
| MTS6000A | | | CTIPVIDEO | IP Video Test Option | |
| MTS6000A | | | CTLAYER4 | 1G Layer 4 TCP WireSpeed Test Option for MSAM | |
| MTS6000A | | | CTMPLSVPLS | MPLS/VPLS Test Option | |
| MTS6000A | | | E8026LTSTSORL | Combined LTS and ORL 1310/1550nm with Talk Set | |
| MTS6000A | | | E80VFL | VFL with 2.5mm UPP connector | |
| MTS6000A | | | ETB6000AT | T-BERD 6000A Platform | |
| MTS6000A | | | | | |
| MTS6000A | MTS6000A39 | 10G SDH/SONET/ETHERNET(1310/1550nm) inc 10/100/1G | C1004 | Dual Port (one port 10M-10G, one port 10M-4G) MSAM | \$31,440.00 |
| MTS6000A | | | CFSCOPE400 | TBERD PROBE KIT;FBP P505 PROBE, USB, 7 TIPS, CASE | |
| MTS6000A | | | CPDS1BANT | DS1 Bantam PIM - Jitter Capable | |
| MTS6000A | | | CPE3DS3BNC | E3/DS3/STS1 BNC Jitter Capable PIM | |
| MTS6000A | | | CT10GCAPTURE | Packet Capture at 10G test option for MSAM | |
| MTS6000A | | | CT10GELAN | 10GigE LAN Test Option | |
| MTS6000A | | | CT10GEWAN | 10GigE WAN Test Option | |
| MTS6000A | | | CT10GFC | 10G Fibre Channel Test Option | |
| MTS6000A | | | CT10GLAYER4 | 10G Layer 4 TCP Wire Speed Test Option for MSAM | |
| MTS6000A | | | CT10GNG | 10G NewGen SON/SDH test option for MSAM | |
| MTS6000A | | | CT10GSONSDH | OC-192/STM-64 Test Option | |

| | | | | | |
|----------|--|--|---------------|---|--|
| MTS6000A | | | CT10GSYNCE | 10GE Synchronous Ethernet MSAM Test Option | |
| MTS6000A | | | CT10M1GE | 10M-1G Electrical & Optical Ethernet Test Option | |
| MTS6000A | | | CT155MSONSDH | OC-3/STM-1 Test Option | |
| MTS6000A | | | CT1G2GFC | 2G/1G Fibre Channel Test Option | |
| MTS6000A | | | CT25GSONSDH | OC-48/STM-16 Test Option | |
| MTS6000A | | | CT3GCPRI | MSAM 3.072G Optical BERT TEST OPTION | |
| MTS6000A | | | CT4GFC | 4G Fibre Channel Test Option | |
| MTS6000A | | | CT622MSONSDH | OC-12/STM-4 Test Option | |
| MTS6000A | | | CTCDI | MSAM Conditioned Diphas Test Option | |
| MTS6000A | | | CTCOS | Multiple Streams/COS Test Option | |
| MTS6000A | | | CTDS1DS3STS1 | DS1, DS3, STS1 Test Option | |
| MTS6000A | | | CTE1E3E4STM1E | E1, E3, E4, STM1e Test Option | |
| MTS6000A | | | CTELECIIT | PDH Electrical RX & TX Jitter Test Option | |
| MTS6000A | | | CTETHSOAM | Ethernet Service and Link Layer OAM Test Option | |
| MTS6000A | | | CTHSDATA | MSAM High Speed Datacom Test Option | |
| MTS6000A | | | CTIPV6 | IPv6 Test Option for MSAM | |
| MTS6000A | | | CTIPVIDEO | IP Video Test Option | |
| MTS6000A | | | CTJPROOF | J-Proof Layer 2 Transparency Test Option | |
| MTS6000A | | | CTL1HADELAY | High Availability (Precision) L1 Latency Test Option | |
| MTS6000A | | | CTLAYER4 | 1G Layer 4 TCP WireSpeed Test Option for MSAM | |
| MTS6000A | | | CTLS1588 | IEEE 1588 10M-1G MSAM Test Option | |
| MTS6000A | | | CTLSCAPTURE | Packet Capture at 10M - 1G test option for MSAM | |
| MTS6000A | | | CTLSJPROFILER | 10M-1G J-Profiler Traffic Explorer Test Option | |
| MTS6000A | | | CTLSNG | NewGen SON/SDH - 155M/622M/2.5G Test Option for MSAM | |
| MTS6000A | | | CTLSSYNCE | 1GE Synchronous Ethernet MSAM Test Option | |
| MTS6000A | | | CTMACINMAC | MAC-in-MAC Test Option | |
| MTS6000A | | | CTMDI | MDI for IP Video MSAM Test Option | |
| MTS6000A | | | CTMPLSTP | MPLST-TP & OAM MSAM Test Option | |
| MTS6000A | | | CTMPLSVPLS | MPLS/VPLS Test Option | |
| MTS6000A | | | CTMSTV | MSTV MSAM Test Option | |
| MTS6000A | | | CTODUMUX12 | ODU 1/2 Muxing Test Option | |
| MTS6000A | | | CTOTU1 | OTN - OTU1 2.7G Test Option | |
| MTS6000A | | | CTOTU2 | OTN - OTU2 10.7G Test Option | |
| MTS6000A | | | CTOTU2E | OTN - OTU2e 11.05G,11.1G Test Option | |
| MTS6000A | | | CTRECTRL | Command Line Remote Control Test Option | |
| MTS6000A | | | CTSCCP | SCCP Signaling for MSAM VoIP Test Option | |
| MTS6000A | | | CTTAMSCRIPT | MSAM Test Automation Scripting - 3rd party device mgmt ctrl | |

| | | | | | |
|----------|------------|---|-----------------------|---|-------------|
| MTS6000A | | | CTVOIP | VoIP MSAM Test Option with SIP & H.323 Fast | |
| MTS6000A | | | CTVT100 | VT-100 Test Option for MSAM | |
| MTS6000A | | | CUSB-HEADSET | USB Audio Headset and Microphone for 6000A | |
| MTS6000A | | | ETB6000AT | T-BERD 6000A Platform | |
| MTS6000A | | | TB6000A-OC192-10GE-DP | TB-6000A DS1-OC192, 10GE LAN/WAN, GigE Dual Port Package | |
| MTS6000A | MTS6000A43 | SDH/Sonet/LAN Tester (10Gb/s only 1550nm) | C1000 | Single Port 10M-10G MSAM | \$10,368.00 |
| MTS6000A | | | CT10GELAN | 10GigE LAN Test Option | |
| MTS6000A | | | CT10GSONSDH | OC-192/STM-64 Test Option | |
| MTS6000A | | | ETB6000AT | T-BERD 6000A Platform | |
| MTS6000A | | | | | |
| MTS6000A | MTS6000A44 | T-BERD 6000A Touchscreen Platform Mainframe | E60EXTMEM | 6000 Platform extended internal memory | \$4,000.00 |
| MTS6000A | | | E8036LTSTS | Optical losstestset 1310/1550/1625nm & talk set | |
| MTS6000A | | | E80BIDIR | Bidirectional OTDR acquisition option for singlemode module | |
| MTS6000A | | | E80PPM | Optical power meter with 2.5mm UPP connector | |
| MTS6000A | | | E80VFL | VFL with 2.5mm UPP connector | |
| MTS6000A | | | | | |
| MTS6000A | MTS6000AM5 | SDH/Sonet Tester (Up to 10Gb/s)+10/100/1G/10G LAN | C1004 | Dual Port (one port 10M-10G, one port 10M-4G) MSAM | \$17,664.00 |
| MTS6000A | | | CT10GELAN | 10GigE LAN Test Option | |
| MTS6000A | | | CT10GSONSDH | OC-192/STM-64 Test Option | |
| MTS6000A | | | CT10M1GE | 10M-1G Electrical & Optical Ethernet Test Option | |
| MTS6000A | | | CT155MSONSDH | OC-3/STM-1 Test Option | |
| MTS6000A | | | CT25GSONSDH | OC-48/STM-16 Test Option | |
| MTS6000A | | | CT622MSONSDH | OC-12/STM-4 Test Option | |
| MTS6000A | | | EM6000AT | MTS 6000A Platform | |
| MTS6000A | | | ETB6000AT | T-BERD 6000A Platform | |
| MTS6000A | | | | | |
| MTS6000A | MTS6000AM8 | 10/100/1000M, GigE Dual Port 850/1310nm | C0404 | Dual Port 10M-4G MSAM | \$3,776.00 |
| MTS6000A | | | CT10M1GE | 10M-1G Electrical & Optical Ethernet Test Option | |
| MTS6000A | | | CTCOS | Multiple Streams/COS Test Option | |
| MTS6000A | | | EM6000AT | MTS 6000A Platform | |
| MTS6000A | | | ETB6000AT | T-BERD 6000A Platform | |
| MTS6000A | | | TB6000A-GIGE-DP | TB-6000A 10/100/1000M, GigE Dual Port Package | |
| MTS6000A | | | | | |
| MTS6000A | TB6000A | T-BERD 6000A Touchscreen Platform Mainframe | E60EXTMEM | 6000 Platform extended internal memory | \$4,624.00 |
| MTS6000A | | | E8036LTSTS | Optical losstestset 1310/1550/1625nm & talk set | |

| | | | | | |
|----------|------------|-----------------------------------|-----------------|--|-------------|
| MTS6000A | | | E80BIDIR | Bidirectional OTDR acquisition option for singlemode module | |
| MTS6000A | | | E80PM | Optical power meter with 2.5mm UPP connector | |
| MTS6000A | | | E80VFL | VFL with 2.5mm UPP connector | |
| MTS6000A | | | | | |
| MTS6000A | TB6000A-M5 | TB6000A Dual port C1004 (US Navy) | C1004 | Dual Port (one port 10M-10G, one port 10M-4G) MSAM | \$31,440.00 |
| MTS6000A | | | CB-015837 | Cable, BNC-440A,8' | |
| MTS6000A | | | CB-016267 | Ethernet Regular RJ-45 to RJ-45, 6' (STP) Cable | |
| MTS6000A | | | CB-019011 | Singlemode Fiber Optic Cable Duplex SC-LC | |
| MTS6000A | | | CB-019013 | Multimode Fiber Optic Cable Duplex SC-LC | |
| MTS6000A | | | CB-019965 | Optical Cable: 3m multimode LC to LC, simplex | |
| MTS6000A | | | CB-019967 | Optical Cable: 3m singlemode LC to LC, simplex | |
| MTS6000A | | | CB-10615 | Cable, 'Bantam to Bantam, 10' | |
| MTS6000A | | | CB-21144332-002 | V.36 DTE/DCE Emulation Ring Indicate Cable, 6 ft Y split 2ft | |
| MTS6000A | | | CB-21148994-002 | V.24/EIA-530 DTE/DCE Emulation Cable - 6ft | |
| MTS6000A | | | CB-21148995-002 | V.35 DTE_DCE Emulation Cable, 6 ft, Y split 24 inches) | |
| MTS6000A | | | CB-21149853 | TFOCA to LC Cable Multimode 1 Meter | |
| MTS6000A | | | CB-21149854 | TFOCA-II To LC Cable Multimode 1 Meter | |
| MTS6000A | | | CB-21149855 | TFOCA-II To LC Cable Singlemode 1 Meter | |
| MTS6000A | | | CB-30662 | CABLE, 'BNC TO BNC, 6' | |
| MTS6000A | | | CB-41645 | Cable, Spl 2 Bant Plug to RJ48, 6 ft. | |
| MTS6000A | | | CB-DCCLK | DATACOM PIM EXTERNAL CLOCK ADAPTER CABLE | |
| MTS6000A | | | CHCASE1-6000A | Hard Carry Case for MTS/TB-6000A - holds multiple modules | |
| MTS6000A | | | CLC10DB | LC-LC Attenuator - 10dB | |
| MTS6000A | | | CLC15DB | LC-LC Attenuator - 15dB | |
| MTS6000A | | | CLC5DB | LC Attenuator - 5dB | |
| MTS6000A | | | CPCDI | Cond. Diphase PIM (Physical Interface Module) for TB6000A | |
| MTS6000A | | | CPDS1BANT | DS1 Bantam PIM - Jitter Capable | |
| MTS6000A | | | CPE1BNC | E1 BNC Jitter Capable PIM | |
| MTS6000A | | | CPE3DS3BNC | E3/DS3/STS1 BNC Jitter Capable PIM | |
| MTS6000A | | | CPE4STM1BNC | E4/STM1e BNC Jitter Capable PIM | |
| MTS6000A | | | CPHSDATA | HS 2-Wide DATACOM PIM (Physical Interface Module) for MSAM | |
| MTS6000A | | | CSCASE6 | Wrap Around Soft Carry Case for 6000A and MSAM | |
| MTS6000A | | | CT10GSONSDH | OC-192/STM-64 Test Option | |

| | | | | | |
|----------|------------|---|---------------|---|-------------|
| MTS6000A | | | CT10M1GE | 10M-1G Electrical & Optical Ethernet Test Option | |
| MTS6000A | | | CT155MSONSDH | OC-3/STM-1 Test Option | |
| MTS6000A | | | CT25GSONSDH | OC-48/STM-16 Test Option | |
| MTS6000A | | | CT622MSONSDH | OC-12/STM-4 Test Option | |
| MTS6000A | | | CTCDI | MSAM Conditioned Diphas Test Option | |
| MTS6000A | | | CTDS1DS3STS1 | DS1, DS3, STS1 Test Option | |
| MTS6000A | | | CTHSDATA | MSAM High Speed Datacom Test Option | |
| MTS6000A | | | CUSB-HEADSET | USB Audio Headset and Microphone for 6000A | |
| MTS6000A | | | E60LIHP1 | Additional High Power Lilon battery for 6000A platform | |
| MTS6000A | | | E80PM | Optical power meter with 2.5mm UPP connector | |
| MTS6000A | | | E90WPWUS | Standard Additional 90W AC/DC Charger for 6000A (USA) | |
| MTS6000A | | | EM6000AT | MTS 6000A Platform | |
| MTS6000A | | | ETB6000AT | T-BERD 6000A Platform | |
| MTS6000A | | | PIM-CASE-3 | PIM (Physical Interface Module) Soft Case Holds 3 | |
| MTS6000A | | | | | |
| MTS6000A | TB6000A-M7 | TB6000A-MSAM MSAM (C1004) | C1004 | Dual Port (one port 10M-10G, one port 10M-4G) MSAM | \$31,440.00 |
| MTS6000A | | | E8026LTSTSORL | Combined LTS and ORL 1310/1550nm with Talk Set | |
| MTS6000A | | | E80VFL | VFL with 2.5mm UPP connector | |
| MTS6000A | | | | | |
| MTS6000A | TB6000A-S1 | TB6000A transport & Optical Platform V2 | CHCASE1-6000A | Hard Carry Case for MTS/TB-6000A - holds multiple modules | \$2,704.00 |
| MTS6000A | | | CUSB-HEADSET | USB Audio Headset and Microphone for 6000A | |
| MTS6000A | | | CUSB-MODEM | USB Analog Modem for 6000A | |
| MTS6000A | | | E80PM | Optical power meter with 2.5mm UPP connector | |
| MTS6000A | | | E80VFL | VFL with 2.5mm UPP connector | |
| MTS6000A | | | EM6000AT | MTS 6000A Platform | |
| MTS6000A | | | ETB6000AT | T-BERD 6000A Platform | |
| MTS6000A | | | | | |
| MTS8000 | | | EFSCOPE400 | MTS PROBE KIT;FBP P505 PROBE, USB, 7 TIPS, CASE | |
| MTS8000 | | | EGENFCAS1 | Generic Fiber Characterization Automated Script | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | EUNIAPCSC | Universal APC connector with SC adapter | |
| MTS8000 | | | EUNIPCSC | Universal PC connector with SC adapter | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000FCB | Optical Link Characterisation package (PMD/CD/AP) | E7787/7 | SC connector for SM jumper | \$47,888.00 |

| | | | | | |
|---------|------------|---|------------|---|-------------|
| MTS8000 | | | E80BIDIR | Bidirectional OTDR acquisition option for singlemode module | |
| MTS8000 | | | E80HCASE | HARD CARRYING CASE - MULTIMODULE CONFIGURATION | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HPWUS | 150W Power Supply for 8000 Platform (US) | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | E80KEYB | Qwerty USB Soft keyboard | |
| MTS8000 | | | E80LIION | Additional Li-Ion Rechargeable Battery | |
| MTS8000 | | | E80MOUSE | USB mouse | |
| MTS8000 | | | E80VFL | VFL with 2.5mm UPP connector | |
| MTS8000 | | | E8100 | 2 plug-ins receptacle | |
| MTS8000 | | | E8136VLR | Very Long Range 45/43/42dB 1310/1550/1625 OTDR | |
| MTS8000 | | | E81DISPAP | Combined long range CD, PMD and AP module (1260-1640nm) | |
| MTS8000 | | | E81MTAU4 | MultiTest Acces Unit for 4 test functions | |
| MTS8000 | | | EFJ30SCUPC | Bend insensitive 30cm fiber jumper SC/UPC TO SC/UPC | |
| MTS8000 | | | EFSCOPE400 | MTS PROBE KIT;FBP P505 PROBE, USB, 7 TIPS, CASE | |
| MTS8000 | | | EGENFCAS1 | Generic Fiber Characterization Automated Script | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | EOBS550 | OBS-550 Handheld Broadband Source for CD/PMD/AP | |
| MTS8000 | | | EUNIPCSC | Universal PC connector with SC adapter | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M10 | Optical CD/PMD Analyser | E5083CD | Medium Range 39/38/37/37dB 1310/1480/1550/1625nm | \$26,880.00 |
| MTS8000 | | | E50OTDREXT | Extension for MTS 5XXX OTDR/CD plug-ins | |
| MTS8000 | | | E80CDRW | Extractable R/W CD ROM drive | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | E8100 | 2 plug-ins receptacle | |
| MTS8000 | | | E81PMD | PMD test plug-in | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M12 | 10GigE LAN(1310/1550nm),1GigE(850/1310nm) | C8432 | 10GigE LAN-1550/1310, 1xGigE-850/1310 | \$8,064.00 |
| MTS8000 | | | CUSCAD | SC Universal Adapter | |
| MTS8000 | | | E80CDRW | Extractable R/W CD ROM drive | |
| MTS8000 | | | E80CFAPP | Transport Module Application Card | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |

| | | | | | |
|---------|------------|--|------------|---|-------------|
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M13 | Optical Spectrum Analyser System (OSA160) | 2281/91.01 | OSA-160 Single Port- | \$6,000.00 |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M14 | Optical Spectrum Analyser System (OSA201) | 2281/91.11 | PMD TestKit for OSA | \$14,064.00 |
| MTS8000 | | | 2281/91.14 | OSA-201 Dual port with 10.7 Gig Drop | |
| MTS8000 | | | E80CDRW | Extractable R/W CD ROM drive | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVCOL | High Visibility TFT Color Display | |
| MTS8000 | | | E80VFL | VFL with 2.5mm UPP connector | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M15 | 10Gb/s SDH (1550nm) | C8310 | 10G SONET or SDH only, 1550nm (IR) | \$8,832.00 |
| MTS8000 | | | C8370 | add SONET option | |
| MTS8000 | | | C8380 | add SDH option | |
| MTS8000 | | | E80CFAPP | Transport Module Application Card | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | E80SCASE3 | Soft Carrying Case for single module platform | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M16 | 10GigE LAN (1310/1550nm) System | C8424 | 10GigE LAN-LR/ER (1310/1550nm) | \$6,128.00 |
| MTS8000 | | | E80CFAPP | Transport Module Application Card | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | E80SCASE3 | Soft Carrying Case for single module platform | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M17 | Optical Test Mainframe | E80HDISK | Hard disk drive for 8000 platform | \$3,168.00 |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M18 | OSA-300/10GigE/Up to 10G SDH(1310/1550nm) System | 2281/91.31 | OSA-300, High performance | \$20,576.00 |
| MTS8000 | | | C8380 | add SDH option | |
| MTS8000 | | | C8530 | 10G-T1/E1, 10GigE (10G@1310/1550), 1xGigE | |
| MTS8000 | | | E80CFAPP | Transport Module Application Card | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |

| | | | | | |
|---------|------------|---|------------|---|------------|
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | E80SCASE3 | Soft Carrying Case for single module platform | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M19 | 10GigE LAN (1310/1550nm) System | C8424 | 10GigE LAN-LR/ER (1310/1550nm) | \$6,128.00 |
| MTS8000 | | | C8484-U1 | MPLS/VPLS option - Field upgrade | |
| MTS8000 | | | C8485-U1 | IP Layer 3 option - Field Upgrade | |
| MTS8000 | | | E80CDRW | Extractable R/W CD ROM drive | |
| MTS8000 | | | E80CFAPP | Transport Module Application Card | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | | | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | E80SCASE3 | Soft Carrying Case for single module platform | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000-M2 | Optical Spectrum Analyser System (OSA300) | 2281/91.31 | OSA-300, High performance | \$6,000.00 |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | | | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M20 | Optical Spectrum Analyser System (OSA300) | 2281/91.31 | OSA-300, High performance | \$6,000.00 |
| MTS8000 | | | E80CFAPP | Transport Module Application Card | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | | | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M21 | 10GigE LAN (1310nm) System | C8420 | 10GigE LAN-LR (1310nm) | \$6,128.00 |
| MTS8000 | | | C8484-U1 | MPLS/VPLS option - Field upgrade | |
| MTS8000 | | | C8485-U1 | IP Layer 3 option - Field Upgrade | |
| MTS8000 | | | E80CDRW | Extractable R/W CD ROM drive | |
| MTS8000 | | | E80CFAPP | Transport Module Application Card | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | | | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | E80SCASE1 | Wrap-around Case for 8000 platform & receptacle | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M23 | Optical Spectrum Analyser System (OSA160) | 2281/91.01 | OSA-160 Single Port- | \$6,000.00 |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVCOL | High Visibility TFT Color Display | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |

| | | | | | |
|---------|------------|---|-----------|---|-------------|
| MTS8000 | MTS8000M24 | 10GigE LAN (1310nm/1550nm),1 GigE 850/1310 System | C8432 | 10GigE LAN-1550/1310, 1xGigE-850/1310 | \$8,064.00 |
| MTS8000 | | | C8483 | Multiple Streams (Class of Service) option | |
| MTS8000 | | | C8485 | IP Layer 3 Option | |
| MTS8000 | | | CUSCAD | SC Universal Adapter | |
| MTS8000 | | | E80CDRW | Extractable R/W CD ROM drive | |
| MTS8000 | | | E80CFAPP | Transport Module Application Card | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M26 | 10GigE LAN (850/1310nm) System | C8420 | 10GigE LAN-LR (1310nm) | \$7,056.00 |
| MTS8000 | | | C8652-U2 | 10G - 850nm Upgrade | |
| MTS8000 | | | E80CDRW | Extractable R/W CD ROM drive | |
| MTS8000 | | | E80CFAPP | Transport Module Application Card | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | E80SCASE1 | Wrap-around Case for 8000 platform & receptacle | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M27 | All SONET/SDH rates upto 10G plus OTN/Ethernet/FC | C10G35LR | 10G optics pkg (1310/1550, LR Rx) | \$25,152.00 |
| MTS8000 | | | C10GELAN | 10GigE LAN (requires 10G optics) | |
| MTS8000 | | | C10GEWAN | 10GigE WAN (requires 10G optics) | |
| MTS8000 | | | C10GSS | OC192/STM-64 (requires 10G optics) | |
| MTS8000 | | | C10OTN | 10.7G OTN (requires ATO & 10G optics) | |
| MTS8000 | | | C11OTN | 11.1/11.05G OTN (Requires ATO & 10G optics) | |
| MTS8000 | | | C25GSS | OC-48/STM-16 (requires 2.5G optics) | |
| MTS8000 | | | C615SS | OC-12/3/STM-1/4 (requires 622M optics) | |
| MTS8000 | | | C8480 | Fibre Channel 1G/2G | |
| MTS8000 | | | C8483 | Multiple Streams (Class of Service) option | |
| MTS8000 | | | C8484 | MPLS/VPLS option | |
| MTS8000 | | | C8485 | IP Layer 3 Option | |
| MTS8000 | | | CATO | Advanced Test Option | |
| MTS8000 | | | CC8015TM | 10G Transport module chassis with PDH/T-Carrier rates | |
| MTS8000 | | | CEETH | 10/100/1000M electrical Ethernet (e) option | |
| MTS8000 | | | COGIGE | GigE Optical (requires 1G optics) | |
| MTS8000 | | | CP12G835 | P1 - 2.7G/2.5G/2G/1G/622M/155M-850/1310/1550 | |
| MTS8000 | | | E80CFAPP | Transport Module Application Card | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | E80LIION | Additional Li-Ion Rechargeable Battery | |

| | | | | | |
|---------|------------|---|------------|---|-------------|
| MTS8000 | | | E80SCASE2 | Soft Carrying Case for multiple-module platform | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M28 | 10GigE LAN(1310/1550nm),1GigE(850/1310nm) | C8432 | 10GigE LAN-1550/1310, 1xGigE-850/1310 | \$8,064.00 |
| MTS8000 | | | C8483 | Multiple Streams (Class of Service) option | |
| MTS8000 | | | CUSCAD | SC Universal Adapter | |
| MTS8000 | | | E80CDRW | Extractable R/W CD ROM drive | |
| MTS8000 | | | E80CFAPP | Transport Module Application Card | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M29 | Optical Test Mainframe | E80CDRW | Extractable R/W CD ROM drive | \$3,520.00 |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | E8100 | 2 plug-ins receptacle | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000-M3 | 10GigE LAN (1310nm) System | C8420 | 10GigE LAN-LR (1310nm) | \$6,128.00 |
| MTS8000 | | | E80CDRW | Extractable R/W CD ROM drive | |
| MTS8000 | | | E80CFAPP | Transport Module Application Card | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | E80SCASE1 | Wrap-around Case for 8000 platform & receptacle | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M30 | OSA-180 Optical Spectrum Analyser System | 2281/91.18 | OSA-180, PC | \$14,576.00 |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M31 | 10Gb/s SDH/Sonet (1550nm) System | C10GSS | OC192/STM-64 (requires 10G optics) | \$8,832.00 |
| MTS8000 | | | E80CFAPP | Transport Module Application Card | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M32 | 10GigE LAN(1310/1550nm),1GigE(850/1310nm) | C10G35 | 10G optics pkg (1310/1550, IR) | \$8,064.00 |
| MTS8000 | | | C10GELAN | 10GigE LAN (requires 10G optics) | |
| MTS8000 | | | C8483 | Multiple Streams (Class of Service) option | |

| | | | | | |
|---------|------------|---|------------|---|-------------|
| MTS8000 | | | CC8015TM | 10G Transport module chassis with PDH/T-Carrier rates | |
| MTS8000 | | | CEETH | 10/100/1000M electrical Ethernet (e) option | |
| MTS8000 | | | COGIGE | GigE Optical (requires 1G optics) | |
| MTS8000 | | | CP11G83 | P1 - 2G/1G- 850/1310 | |
| MTS8000 | | | CUSCAD | SC Universal Adapter | |
| MTS8000 | | | E80CFAPP | Transport Module Application Card | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M33 | OSA-320 Optical Spectrum Analyser (AON & ROADM) | 2281/91.35 | OSA-320, High performance DWDM & AON Analyzer | \$19,936.00 |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M34 | STM 1/4/16+ jitter (1310/1550) System | C25GSS | OC-48/STM-16 (requires 2.5G optics) | \$30,000.00 |
| MTS8000 | | | C615SS | OC-12/3/STM-1/4 (requires 622M optics) | |
| MTS8000 | | | CPDHJIT | PDH Jitter Tx/Rx (requires PDH board) | |
| MTS8000 | | | CPDHWND-U1 | PDH/T-Carrier WanderTx/Rx Field Upgrade | |
| MTS8000 | | | E80CFAPP | Transport Module Application Card | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M35 | 10G/2.5G/622Mb/s/Ethernet SONET/SDH System | C10G35 | 10G optics pkg (1310/1550, IR) | \$18,496.00 |
| MTS8000 | | | C10GSS | OC192/STM-64 (requires 10G optics) | |
| MTS8000 | | | C25GSS | OC-48/STM-16 (requires 2.5G optics) | |
| MTS8000 | | | C615SS | OC-12/3/STM-1/4 (requires 622M optics) | |
| MTS8000 | | | CC8015TM | 10G Transport module chassis with PDH/T-Carrier rates | |
| MTS8000 | | | CEETH | 10/100/1000M electrical Ethernet (e) option | |
| MTS8000 | | | COGIGE | GigE Optical (requires 1G optics) | |
| MTS8000 | | | CP12G835 | P1 - 2.7G/2.5G/2G/1G/622M/155M-850/1310/1550 | |
| MTS8000 | | | E80CFAPP | Transport Module Application Card | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M36 | All SONET/SDH rates upto 10G plus OTN/Ethernet/FC | C10G835LR | 10G optic pkg (850/1310/1550, LR Rx) | \$25,152.00 |
| MTS8000 | | | C10GELAN | 10GigE LAN (requires 10G optics) | |

| | | | | | |
|---------|------------|---|-----------|--|-------------|
| MTS8000 | | | C10GEWAN | 10GigE WAN (requires 10G optics) | |
| MTS8000 | | | C10GSS | OC192/STM-64 (requires 10G optics) | |
| MTS8000 | | | C10OTN | 10.7G OTN (requires ATO & 10G optics) | |
| MTS8000 | | | C11OTN | 11.1/11.05G OTN (Requires ATO & 10G optics) | |
| MTS8000 | | | C25GSS | OC-48/STM-16 (requires 2.5G optics) | |
| MTS8000 | | | C615SS | OC-12/3/STM-1/4 (requires 622M optics) | |
| MTS8000 | | | C8480 | Fibre Channel 1G/2G | |
| MTS8000 | | | C8483 | Multiple Streams (Class of Service) option | |
| MTS8000 | | | C8484 | MPLS/VPLS option | |
| MTS8000 | | | C8485 | IP Layer 3 Option | |
| MTS8000 | | | CATO | Advanced Test Option | |
| MTS8000 | | | CC8015TM | 10G Transport module chassis with PDH/T-Carrier rates | |
| MTS8000 | | | CEETH | 10/100/1000M electrical Ethernet (e) option | |
| MTS8000 | | | COGIGE | GigE Optical (requires 1G optics) | |
| MTS8000 | | | CP12G835 | P1 - 2.7G/2.5G/2G/1G/622M/155M-850/1310/1550 | |
| MTS8000 | | | E80CFAPP | Transport Module Application Card | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | E80LIION | Additional Li-Ion Rechargeable Battery | |
| MTS8000 | | | E80SCASE2 | Soft Carrying Case for multiple-module platform | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M37 | STM 1/4/16+ jitter/Wannder (1310/1550) System | C25GSS | OC-48/STM-16 (requires 2.5G optics) | \$30,000.00 |
| MTS8000 | | | C615SS | OC-12/3/STM-1/4 (requires 622M optics) | |
| MTS8000 | | | CPDHJIT | PDH Jitter Tx/Rx (requires PDH board) | |
| MTS8000 | | | E80CFAPP | Transport Module Application Card | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M38 | 1G/622M/155M(1310/850nm)/Ethernet/PDH Jitter Sys. | C615SS | OC-12/3/STM-1/4 (requires 622M optics) | \$7,728.00 |
| MTS8000 | | | C80HCASE5 | Single & multi-module Hard Carrying Case Do not use with OSA | |
| MTS8000 | | | C8483 | Multiple Streams (Class of Service) option | |
| MTS8000 | | | C8484 | MPLS/VPLS option | |
| MTS8000 | | | C8485 | IP Layer 3 Option | |
| MTS8000 | | | CC8045TM | Low speed Transport module chassis with T1/T3 Rx Jitter | |
| MTS8000 | | | CEETH | 10/100/1000M electrical Ethernet (e) option | |
| MTS8000 | | | COGIGE | GigE Optical (requires 1G optics) | |
| MTS8000 | | | CP12G83 | P1 - 2.7G/2.5G/2G/1G/622M/155M- | |

| | | | | | |
|---------|------------|---|-----------|--|-------------|
| | | | | 850/1310 | |
| MTS8000 | | | CP22G83 | P2 - 2.5G/2G/1G/622M/155M- 850/1310 | |
| MTS8000 | | | CPDHJIT | PDH Jitter Tx/Rx (requires PDH board) | |
| MTS8000 | | | E80CDRW | Extractable R/W CD ROM drive | |
| MTS8000 | | | E80CFAPP | Transport Module Application Card | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | E80LIION | Additional Li-Ion Rechargeable Battery | |
| MTS8000 | | | E80MDM | Built-in PSTN modem | |
| MTS8000 | | | E80VFL | VFL with 2.5mm UPP connector | |
| MTS8000 | | | ETB8000BT | T-BERD 8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M39 | STM 1/4/16 jitter/Wander + STM64 System | C10G35 | 10G optics pkg (1310/1550, IR) | \$34,992.00 |
| MTS8000 | | | C10GSS | OC192/STM-64 (requires 10G optics) | |
| MTS8000 | | | C25GSS | OC-48/STM-16 (requires 2.5G optics) | |
| MTS8000 | | | C615SS | OC-12/3/STM-1/4 (requires 622M optics) | |
| MTS8000 | | | CC8030TM | 10G Transport module chassis with Optical Jitter/Wander | |
| MTS8000 | | | CEETH | 10/100/1000M electrical Ethernet (e) option | |
| MTS8000 | | | COGIGE | GigE Optical (requires 1G optics) | |
| MTS8000 | | | CP11G835 | P1 - 2G/1G - 850/1310/1550 | |
| MTS8000 | | | CPDHJIT | PDH Jitter Tx/Rx (requires PDH board) | |
| MTS8000 | | | E80CFAPP | Transport Module Application Card | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | E80LIION | Additional Li-Ion Rechargeable Battery | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000-M4 | 10GigE LAN (1310/1550nm) System | C8424 | 10GigE LAN-LR/ER (1310/1550nm) | \$6,128.00 |
| MTS8000 | | | E80CDRW | Extractable R/W CD ROM drive | |
| MTS8000 | | | E80CFAPP | Transport Module Application Card | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | E80SCASE3 | Soft Carrying Case for single module platform | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M40 | 10GigE LAN(1310/1550nm),1GigE(850/1310nm) | C10G35 | 10G optics pkg (1310/1550, IR) | \$8,064.00 |
| MTS8000 | | | C10GELAN | 10GigE LAN (requires 10G optics) | |
| MTS8000 | | | C8483 | Multiple Streams (Class of Service) option | |
| MTS8000 | | | CC8010TM | 10G Transport module chassis without PDH/T-Carrier rates | |
| MTS8000 | | | CEETH | 10/100/1000M electrical Ethernet (e) option | |
| MTS8000 | | | COGIGE | GigE Optical (requires 1G optics) | |

| | | | | | |
|---------|------------|---|------------|--|-------------|
| MTS8000 | | | CP11G83 | P1 - 2G/1G- 850/1310 | |
| MTS8000 | | | CUSCAD | SC Universal Adapter | |
| MTS8000 | | | E80CFAPP | Transport Module Application Card | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M41 | 40G Modular Opt. Test Platform | 3074/01 | 40G Transport Module | \$39,888.00 |
| MTS8000 | | | E80CFAPP | Transport Module Application Card | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | ETB8000BT | T-BERD 8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M43 | All SONET/SDH rates upto 10G plus OTN/Ethernet/FC | C10G835LR | 10G optic pkg (850/1310/1550, LR Rx) | \$25,152.00 |
| MTS8000 | | | C10GELAN | 10GigE LAN (requires 10G optics) | |
| MTS8000 | | | C10GEWAN | 10GigE WAN (requires 10G optics) | |
| MTS8000 | | | C10GSS | OC192/STM-64 (requires 10G optics) | |
| MTS8000 | | | C10OTN | 10.7G OTN (requires ATO & 10G optics) | |
| MTS8000 | | | C11OTN | 11.1/11.05G OTN (Requires ATO & 10G optics) | |
| MTS8000 | | | C25GSS | OC-48/STM-16 (requires 2.5G optics) | |
| MTS8000 | | | C2OTN | 2.7G OTN (Requires 2.5G Interface and ATO) | |
| MTS8000 | | | C615SS | OC-12/3/STM-1/4 (requires 622M optics) | |
| MTS8000 | | | C8000-TMRC | Command Line Remote Control | |
| MTS8000 | | | C8480 | Fibre Channel 1G/2G | |
| MTS8000 | | | C8483 | Multiple Streams (Class of Service) option | |
| MTS8000 | | | C8484 | MPLS/VPLS option | |
| MTS8000 | | | C8485 | IP Layer 3 Option | |
| MTS8000 | | | CATO | Advanced Test Option | |
| MTS8000 | | | CC8015TM | 10G Transport module chassis with PDH/T-Carrier rates | |
| MTS8000 | | | CEETH | 10/100/1000M electrical Ethernet (e) option | |
| MTS8000 | | | CIPTV | IPTV Test Option | |
| MTS8000 | | | CL2TRN | TB8000 Transport Module Layer 2 Transparency Test Option | |
| MTS8000 | | | CMNM | TB8000 Transport Module MAC-in-MAC Test Option | |
| MTS8000 | | | COGIGE | GigE Optical (requires 1G optics) | |
| MTS8000 | | | CP12G835 | P1 - 2.7G/2.5G/2G/1G/622M/155M-850/1310/1550 | |
| MTS8000 | | | CP22G835 | P2 - 2.5G/2G/1G/622M/155M-850/1310/1550 | |
| MTS8000 | | | CT10GFC | 10G Fibre Channel Test Option | |
| MTS8000 | | | CTCP | Layer 4 TCP/UDP Test Option | |
| MTS8000 | | | E80CDRW | Extractable R/W CD ROM drive | |

| | | | | | |
|---------|------------|--|------------|--|-------------|
| MTS8000 | | | E80CFAPP | Transport Module Application Card | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | E80LIION | Additional Li-Ion Rechargeable Battery | |
| MTS8000 | | | E80PM | Optical power meter with 2.5mm UPP connector | |
| MTS8000 | | | E80TS | Optical talk set (specify connector type) | |
| MTS8000 | | | E80VFL | VFL with 2.5mm UPP connector | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M45 | All SONET/SDH rates upto 10G plusEthernet/FC | C8000-TMRC | Command Line Remote Control | \$25,152.00 |
| MTS8000 | | | C8370 | add SONET option | |
| MTS8000 | | | C8380 | add SDH option | |
| MTS8000 | | | C8470 | 10GigE WAN Option | |
| MTS8000 | | | C8476 | 1000M Ethernet Electrical - Dual Port | |
| MTS8000 | | | C8480 | Fibre Channel 1G/2G | |
| MTS8000 | | | C8483 | Multiple Streams (Class of Service) option | |
| MTS8000 | | | C8484 | MPLS/VPLS option | |
| MTS8000 | | | C8485 | IP Layer 3 Option | |
| MTS8000 | | | C8551 | 10G-T1/E1, 10GigE, (10G, LR@1310/1550), 2xGigE | |
| MTS8000 | | | CIPTV | IPTV Test Option | |
| MTS8000 | | | CL2TRN | TB8000 Transport Module Layer 2 Transparency Test Option | |
| MTS8000 | | | CMNM | TB8000 Transport Module MAC-in-MAC Test Option | |
| MTS8000 | | | CTCP | Layer 4 TCP/UDP Test Option | |
| MTS8000 | | | E80CDRW | Extractable R/W CD ROM drive | |
| MTS8000 | | | E80CFAPP | Transport Module Application Card | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | E80LIION | Additional Li-Ion Rechargeable Battery | |
| MTS8000 | | | E80PM | Optical power meter with 2.5mm UPP connector | |
| MTS8000 | | | E80TS | Optical talk set (specify connector type) | |
| MTS8000 | | | E80VFL | VFL with 2.5mm UPP connector | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M47 | Optical Test Mainframe | E80CDRW | Extractable R/W CD ROM drive | \$3,168.00 |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | E80PM | Optical power meter with 2.5mm UPP connector | |
| MTS8000 | | | E80TS | Optical talk set (specify connector type) | |

| | | | | | |
|---------|------------|--|------------|--|-------------|
| MTS8000 | | | E80VFL | VFL with 2.5mm UPP connector | |
| MTS8000 | | | E8100 | 2 plug-ins receptacle | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M48 | All SONET/SDH rates upto 10G plusEthernet/FC | C8000-TMRC | Command Line Remote Control | \$25,152.00 |
| MTS8000 | | | C8370 | add SONET option | |
| MTS8000 | | | C8380 | add SDH option | |
| MTS8000 | | | C8470 | 10GigE WAN Option | |
| MTS8000 | | | C8476 | 1000M Ethernet Electrical - Dual Port | |
| MTS8000 | | | C8480 | Fibre Channel 1G/2G | |
| MTS8000 | | | C8483 | Multiple Streams (Class of Service) option | |
| MTS8000 | | | C8484 | MPLS/VPLS option | |
| MTS8000 | | | C8485 | IP Layer 3 Option | |
| MTS8000 | | | C8550 | 10G-T1/E1, 10GigE, (10G, LR@1310/1550), 1xGigE | |
| MTS8000 | | | CIPTV | IPTV Test Option | |
| MTS8000 | | | CL2TRN | TB8000 Transport Module Layer 2 Transparency Test Option | |
| MTS8000 | | | CMNM | TB8000 Transport Module MAC-in-MAC Test Option | |
| MTS8000 | | | CTCP | Layer 4 TCP/UDP Test Option | |
| MTS8000 | | | E80CDRW | Extractable R/W CD ROM drive | |
| MTS8000 | | | E80CFAPP | Transport Module Application Card | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | E80LIION | Additional Li-Ion Rechargeable Battery | |
| MTS8000 | | | E80PM | Optical power meter with 2.5mm UPP connector | |
| MTS8000 | | | E80TS | Optical talk set (specify connector type) | |
| MTS8000 | | | E80VFL | VFL with 2.5mm UPP connector | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M49 | 10GigE LAN(1310/1550nm),1GigE(850/1310nm) | C10G35 | 10G optics pkg (1310/1550, IR) | \$8,064.00 |
| MTS8000 | | | C10GELAN | 10GigE LAN (requires 10G optics) | |
| MTS8000 | | | C8483 | Multiple Streams (Class of Service) option | |
| MTS8000 | | | CC8015TM | 10G Transport module chassis with PDH/T-Carrier rates | |
| MTS8000 | | | COGIGE | GigE Optical (requires 1G optics) | |
| MTS8000 | | | CP11G83 | P1 - 2G/1G- 850/1310 | |
| MTS8000 | | | CUSCAD | SC Universal Adapter | |
| MTS8000 | | | E80CFAPP | Transport Module Application Card | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M50 | 10GigE LAN(1310/1550nm),1GigE(850/1310nm) | C10G35 | 10G optics pkg (1310/1550, IR) | \$8,064.00 |

| | | | | | |
|---------|------------|---|------------|--|-------------|
| MTS8000 | | | C10GELAN | 10GigE LAN (requires 10G optics) | |
| MTS8000 | | | C8483 | Multiple Streams (Class of Service) option | |
| MTS8000 | | | C8485 | IP Layer 3 Option | |
| MTS8000 | | | CC8010TM | 10G Transport module chassis without PDH/T-Carrier rates | |
| MTS8000 | | | CEETH | 10/100/1000M electrical Ethernet (e) option | |
| MTS8000 | | | CL2TRN | TB8000 Transport Module Layer 2 Transparency Test Option | |
| MTS8000 | | | COGIGE | GigE Optical (requires 1G optics) | |
| MTS8000 | | | CP11G83 | P1 - 2G/1G- 850/1310 | |
| MTS8000 | | | CUSCAD | SC Universal Adapter | |
| MTS8000 | | | E80CFAPP | Transport Module Application Card | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M53 | STM 1/4/16 jitter/Wander + STM64/OTN System | C10G35 | 10G optics pkg (1310/1550, IR) | \$34,992.00 |
| MTS8000 | | | C10GELAN | 10GigE LAN (requires 10G optics) | |
| MTS8000 | | | C10GEWAN | 10GigE WAN (requires 10G optics) | |
| MTS8000 | | | C10GSS | OC192/STM-64 (requires 10G optics) | |
| MTS8000 | | | C10OTN | 10.7G OTN (requires ATO & 10G optics) | |
| MTS8000 | | | C110TN | 11.1/11.05G OTN (Requires ATO & 10G optics) | |
| MTS8000 | | | C25GSS | OC-48/STM-16 (requires 2.5G optics) | |
| MTS8000 | | | C2OTN | 2.7G OTN (Requires 2.5G Interface and ATO) | |
| MTS8000 | | | C615SS | OC-12/3/STM-1/4 (requires 622M optics) | |
| MTS8000 | | | C8000-TMRC | Command Line Remote Control | |
| MTS8000 | | | C8370 | add SONET option | |
| MTS8000 | | | C8380 | add SDH option | |
| MTS8000 | | | C8480 | Fibre Channel 1G/2G | |
| MTS8000 | | | C8483 | Multiple Streams (Class of Service) option | |
| MTS8000 | | | C8484 | MPLS/VPLS option | |
| MTS8000 | | | C8485 | IP Layer 3 Option | |
| MTS8000 | | | CATO | Advanced Test Option | |
| MTS8000 | | | CC8030TM | 10G Transport module chassis with Optical Jitter/Wander | |
| MTS8000 | | | CEETH | 10/100/1000M electrical Ethernet (e) option | |
| MTS8000 | | | CIPTV | IPTV Test Option | |
| MTS8000 | | | CL2TRN | TB8000 Transport Module Layer 2 Transparency Test Option | |
| MTS8000 | | | CMNM | TB8000 Transport Module MAC-in-MAC Test Option | |
| MTS8000 | | | COGIGE | GigE Optical (requires 1G optics) | |
| MTS8000 | | | CPDHJIT | PDH Jitter Tx/Rx (requires PDH board) | |
| MTS8000 | | | CT10GFC | 10G Fibre Channel Test Option | |
| MTS8000 | | | CTCP | Layer 4 TCP/UDP Test Option | |

| | | | | | |
|---------|------------|---|------------|---|-------------|
| MTS8000 | | | E80CDRW | Extractable R/W CD ROM drive | |
| MTS8000 | | | E80CFAPP | Transport Module Application Card | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | E80LIION | Additional Li-Ion Rechargeable Battery | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M55 | Optical Spectrum Analyser System (OSA201) | 2281/91.14 | OSA-201 Dual port with 10.7 Gig Drop | \$14,064.00 |
| MTS8000 | | | E80CDRW | Extractable R/W CD ROM drive | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80PM | Optical power meter with 2.5mm UPP connector | |
| MTS8000 | | | E80TS | Optical talk set (specify connector type) | |
| MTS8000 | | | E80VFL | VFL with 2.5mm UPP connector | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M57 | Optical Spectrum Analyser System (OSA161) | 2281/91.12 | OSA-161 Single port with 10.7 Gig Drop | \$10,992.00 |
| MTS8000 | | | E80CDRW | Extractable R/W CD ROM drive | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80PM | Optical power meter with 2.5mm UPP connector | |
| MTS8000 | | | E80TS | Optical talk set (specify connector type) | |
| MTS8000 | | | E80VFL | VFL with 2.5mm UPP connector | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M58 | Optical Spectrum Analyser System (OSA500) | 2281/91.51 | OSA-500, High Perf. DWDM OSA | \$19,936.00 |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M59 | STM 1/4/16 jitter/Wander + STM64 System | C10G835 | 10G optic pkg (850/1310/1550, IR) | \$34,992.00 |
| MTS8000 | | | C10GELAN | 10GigE LAN (requires 10G optics) | |
| MTS8000 | | | C10GEWAN | 10GigE WAN (requires 10G optics) | |
| MTS8000 | | | C10GSS | OC192/STM-64 (requires 10G optics) | |
| MTS8000 | | | C10OTN | 10.7G OTN (requires ATO & 10G optics) | |
| MTS8000 | | | C110TN | 11.1/11.05G OTN (Requires ATO & 10G optics) | |
| MTS8000 | | | C25GSS | OC-48/STM-16 (requires 2.5G optics) | |
| MTS8000 | | | C20TN | 2.7G OTN (Requires 2.5G Interface and ATO) | |
| MTS8000 | | | C4GFC | 4G Fibre Channel Test Option | |
| MTS8000 | | | C615SS | OC-12/3/STM-1/4 (requires 622M optics) | |
| MTS8000 | | | C8000-TMRC | Command Line Remote Control | |
| MTS8000 | | | C8370 | add SONET option | |
| MTS8000 | | | C8380 | add SDH option | |
| MTS8000 | | | C8480 | Fibre Channel 1G/2G | |
| MTS8000 | | | C8483 | Multiple Streams (Class of Service) option | |

| | | | | | |
|---------|------------|---|-----------|--|-------------|
| MTS8000 | | | C8484 | MPLS/VPLS option | |
| MTS8000 | | | C8485 | IP Layer 3 Option | |
| MTS8000 | | | CATO | Advanced Test Option | |
| MTS8000 | | | CC8030TM | 10G Transport module chassis with Optical Jitter/Wander | |
| MTS8000 | | | CEETH | 10/100/1000M electrical Ethernet (e) option | |
| MTS8000 | | | CIPTV | IPTV Test Option | |
| MTS8000 | | | CL2TRN | TB8000 Transport Module Layer 2 Transparency Test Option | |
| MTS8000 | | | CMNM | TB8000 Transport Module MAC-in-MAC Test Option | |
| MTS8000 | | | COGIGE | GigE Optical (requires 1G optics) | |
| MTS8000 | | | CP2BV3 | Port Bank Two Optical Module Version Three | |
| MTS8000 | | | CPDHJIT | PDH Jitter Tx/Rx (requires PDH board) | |
| MTS8000 | | | CT10GFC | 10G Fibre Channel Test Option | |
| MTS8000 | | | CTCP | Layer 4 TCP/UDP Test Option | |
| MTS8000 | | | E80CDRW | Extractable R/W CD ROM drive | |
| MTS8000 | | | E80CFAPP | Transport Module Application Card | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | E80LIION | Additional Li-Ion Rechargeable Battery | |
| MTS8000 | | | E80PM | Optical power meter with 2.5mm UPP connector | |
| MTS8000 | | | E80TS | Optical talk set (specify connector type) | |
| MTS8000 | | | E80VFL | VFL with 2.5mm UPP connector | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | MTS8000-M6 | 10Gb/s SDH (1550nm) System | | | |
| MTS8000 | | | C8311 | 10G SONET or SDH only, 1550nm (LR) | \$8,832.00 |
| MTS8000 | | | C8380 | add SDH option | |
| MTS8000 | | | E80CFAPP | Transport Module Application Card | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | E80SCASE3 | Soft Carrying Case for single module platform | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M60 | All SONET/SDH rates upto 10G plus OTN/Ethernet/FC | | | |
| MTS8000 | | | C10G835 | 10G optic pkg (850/1310/1550, IR) | \$29,344.00 |
| MTS8000 | | | C10GELAN | 10GigE LAN (requires 10G optics) | |
| MTS8000 | | | C10GEWAN | 10GigE WAN (requires 10G optics) | |
| MTS8000 | | | C10GSS | OC192/STM-64 (requires 10G optics) | |
| MTS8000 | | | C10OTN | 10.7G OTN (requires ATO & 10G optics) | |
| MTS8000 | | | C11OTN | 11.1/11.05G OTN (Requires ATO & 10G optics) | |
| MTS8000 | | | C25GSS | OC-48/STM-16 (requires 2.5G optics) | |
| MTS8000 | | | C2OTN | 2.7G OTN (Requires 2.5G Interface and ATO) | |

| | | | | | |
|---------|------------|--|------------|--|-------------|
| MTS8000 | | | C4GFC | 4G Fibre Channel Test Option | |
| MTS8000 | | | C615SS | OC-12/3/STM-1/4 (requires 622M optics) | |
| MTS8000 | | | C8000-TMRC | Command Line Remote Control | |
| MTS8000 | | | C8370 | add SONET option | |
| MTS8000 | | | C8380 | add SDH option | |
| MTS8000 | | | C8480 | Fibre Channel 1G/2G | |
| MTS8000 | | | C8483 | Multiple Streams (Class of Service) option | |
| MTS8000 | | | C8484 | MPLS/VPLS option | |
| MTS8000 | | | C8485 | IP Layer 3 Option | |
| MTS8000 | | | CATO | Advanced Test Option | |
| MTS8000 | | | CC8015TM | 10G Transport module chassis with PDH/T-Carrier rates | |
| MTS8000 | | | CEETH | 10/100/1000M electrical Ethernet (e) option | |
| MTS8000 | | | CIPTV | IPTV Test Option | |
| MTS8000 | | | CL2TRN | TB8000 Transport Module Layer 2 Transparency Test Option | |
| MTS8000 | | | CMNM | TB8000 Transport Module MAC-in-MAC Test Option | |
| MTS8000 | | | COGIGE | GigE Optical (requires 1G optics) | |
| MTS8000 | | | CPDHJIT | PDH Jitter Tx/Rx (requires PDH board) | |
| MTS8000 | | | CT10GFC | 10G Fibre Channel Test Option | |
| MTS8000 | | | CTCP | Layer 4 TCP/UDP Test Option | |
| MTS8000 | | | E80CDRW | Extractable R/W CD ROM drive | |
| MTS8000 | | | E80CFAPP | Transport Module Application Card | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | E80LIION | Additional Li-Ion Rechargeable Battery | |
| MTS8000 | | | E80PM | Optical power meter with 2.5mm UPP connector | |
| MTS8000 | | | E80TS | Optical talk set (specify connector type) | |
| MTS8000 | | | E80VFL | VFL with 2.5mm UPP connector | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M63 | MTS-8000 Optical Spectrum Analyser System (OSA180) | 2281/91.18 | OSA-180, PC | \$14,576.00 |
| MTS8000 | | | E80CDRW | Extractable R/W CD ROM drive | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | E80LIION | Additional Li-Ion Rechargeable Battery | |
| MTS8000 | | | E80PM | Optical power meter with 2.5mm UPP connector | |
| MTS8000 | | | E80TS | Optical talk set (specify connector type) | |
| MTS8000 | | | E80VFL | VFL with 2.5mm UPP connector | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M64 | 40/43G Modular Opt. Test Platform | 2151/00.58 | Universal optical adapter: SC-PC/APC-Type | \$40,000.00 |
| MTS8000 | | | 3074/01 | 40G Transport Module | |

| | | | | | |
|---------|------------|---|--------------|--|-------------|
| MTS8000 | | | 3074/95.13 | 43G OTN Option for 40G Transport Module | |
| MTS8000 | | | 3074/95.14 | 43G ODU MUXING | |
| MTS8000 | | | E8000M02 | User Manual 8000 Platform (English) | |
| MTS8000 | | | E8036LTSTS | Optical losstestset 1310/1550/1625nm & talk set | |
| MTS8000 | | | E80CFAPP | Transport Module Application Card | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | E80VFL | VFL with 2.5mm UPP connector | |
| MTS8000 | | | ETB8000NB | T-BERD 8000 Tester with backplate for AC use | |
| MTS8000 | | | EULCAD | LC Universal Adapter | |
| MTS8000 | | | EUNIAPCSC | Universal APC connector with SC adapter | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M66 | MTS-8000 Optical Spectrum Analyser Sys. (OSA201) | 2281/91.14 | OSA-201 Dual port with 10.7 Gig Drop | \$14,064.00 |
| MTS8000 | | | E80CDRW | Extractable R/W CD ROM drive | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | E80LIION | Additional Li-Ion Rechargeable Battery | |
| MTS8000 | | | E80VFL | VFL with 2.5mm UPP connector | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M67 | MTS-8000 Optical Test Mainframe | E80CDRW | Extractable R/W CD ROM drive | \$3,168.00 |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80MDM | Built-in PSTN modem | |
| MTS8000 | | | E80PM | Optical power meter with 2.5mm UPP connector | |
| MTS8000 | | | E80TS | Optical talk set (specify connector type) | |
| MTS8000 | | | E80VFL | VFL with 2.5mm UPP connector | |
| MTS8000 | | | E8100 | 2 plug-ins receptacle | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M68 | All SONET/SDH rates upto 10G plus OTN/Ethernet/FC | C1004 | Dual Port (one port 10M-10G, one port 10M-4G) MSAM | \$36,688.00 |
| MTS8000 | | | C10GELAN | 10GigE LAN (requires 10G optics) | |
| MTS8000 | | | C10GEWAN | 10GigE WAN (requires 10G optics) | |
| MTS8000 | | | C10GSS | OC192/STM-64 (requires 10G optics) | |
| MTS8000 | | | C25GSS | OC-48/STM-16 (requires 2.5G optics) | |
| MTS8000 | | | C4GFC | 4G Fibre Channel Test Option | |
| MTS8000 | | | C615SS | OC-12/3/STM-1/4 (requires 622M optics) | |
| MTS8000 | | | C8200 | TB/MTS-8000 Dual Module Carrier | |
| MTS8000 | | | CPDS1BANT | DS1 Bantam PIM - Jitter Capable | |
| MTS8000 | | | CPE3DS3BNC | E3/DS3/STS1 BNC Jitter Capable PIM | |
| MTS8000 | | | CT10GCAPTURE | Packet Capture at 10G test option for MSAM | |
| MTS8000 | | | CT10GFC | 10G Fibre Channel Test Option | |
| MTS8000 | | | CT10GLAYER4 | 10G Layer 4 TCP Wire Speed Test Option for MSAM | |

| | | | | | |
|---------|------------|---|---------------|--|-------------|
| MTS8000 | | | CT10GNG | 10G NewGen SON/SDH test option for MSAM | |
| MTS8000 | | | CT10M1GE | 10M-1G Electrical & Optical Ethernet Test Option | |
| MTS8000 | | | CT155MSONSDH | OC-3/STM-1 Test Option | |
| MTS8000 | | | CT1G2GFC | 2G/1G Fibre Channel Test Option | |
| MTS8000 | | | CTCOS | Multiple Streams/COS Test Option | |
| MTS8000 | | | CTDS1DS3STS1 | DS1, DS3, STS1 Test Option | |
| MTS8000 | | | CTE1E3E4STM1E | E1, E3, E4, STM1e Test Option | |
| MTS8000 | | | CTETHSOAM | Ethernet Service and Link Layer OAM Test Option | |
| MTS8000 | | | CTIPV6 | IPv6 Test Option for MSAM | |
| MTS8000 | | | CTJPROOF | J-Proof Layer 2 Transparency Test Option | |
| MTS8000 | | | CTLAYER4 | 1G Layer 4 TCP WireSpeed Test Option for MSAM | |
| MTS8000 | | | CTLSCAPTURE | Packet Capture at 10M - 1G test option for MSAM | |
| MTS8000 | | | CTLSNG | NewGen SON/SDH - 155M/622M/2.5G Test Option for MSAM | |
| MTS8000 | | | CTMACINMAC | MAC-in-MAC Test Option | |
| MTS8000 | | | CTMPLSVPLS | MPLS/VPLS Test Option | |
| MTS8000 | | | CTODUMUX12 | ODU 1/2 Muxing Test Option | |
| MTS8000 | | | CTOTU1 | OTN - OTU1 2.7G Test Option | |
| MTS8000 | | | CTOTU2 | OTN - OTU2 10.7G Test Option | |
| MTS8000 | | | CTOTU2E | OTN - OTU2e 11.05G,11.1G Test Option | |
| MTS8000 | | | E80CFAPP | Transport Module Application Card | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | E80LIION | Additional Li-Ion Rechargeable Battery | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M71 | MTS-8000 Tester with Transport Mod. V2(10G) | C10G835 | 10G optic pkg (850/1310/1550, IR) | \$25,152.00 |
| MTS8000 | | | C10GELAN | 10GigE LAN (requires 10G optics) | |
| MTS8000 | | | C10GEWAN | 10GigE WAN (requires 10G optics) | |
| MTS8000 | | | C10GSS | OC192/STM-64 (requires 10G optics) | |
| MTS8000 | | | C10OTN | 10.7G OTN (requires ATO & 10G optics) | |
| MTS8000 | | | C11OTN | 11.1/11.05G OTN (Requires ATO & 10G optics) | |
| MTS8000 | | | C25GSS | OC-48/STM-16 (requires 2.5G optics) | |
| MTS8000 | | | C2OTN | 2.7G OTN (Requires 2.5G Interface and ATO) | |
| MTS8000 | | | C615SS | OC-12/3/STM-1/4 (requires 622M optics) | |
| MTS8000 | | | C8000-TMRC | Command Line Remote Control | |
| MTS8000 | | | C8480 | Fibre Channel 1G/2G | |
| MTS8000 | | | C8483 | Multiple Streams (Class of Service) option | |
| MTS8000 | | | C8484 | MPLS/VPLS option | |
| MTS8000 | | | C8485 | IP Layer 3 Option | |

| | | | | | |
|---------|------------|---|------------|---|-------------|
| MTS8000 | | | CATO | Advanced Test Option | |
| MTS8000 | | | CC8015TM | 10G Transport module chassis with PDH/T-Carrier rates | |
| MTS8000 | | | CEETH | 10/100/1000M electrical Ethernet (e) option | |
| MTS8000 | | | COGIGE | GigE Optical (requires 1G optics) | |
| MTS8000 | | | CP12G835 | P1 - 2.7G/2.5G/2G/1G/622M/155M-850/1310/1550 | |
| MTS8000 | | | CP22G835 | P2 - 2.5G/2G/1G/622M/155M-850/1310/1550 | |
| MTS8000 | | | E80CDRW | Extractable R/W CD ROM drive | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | E80LIION | Additional Li-Ion Rechargeable Battery | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M72 | MTS-8000 Tester with Transportmodule-10G/10GE/1GE | C8380 | add SDH option | \$8,064.00 |
| MTS8000 | | | C8470 | 10GigE WAN Option | |
| MTS8000 | | | C8476 | 1000M Ethernet Electrical - Dual Port | |
| MTS8000 | | | C8485 | IP Layer 3 Option | |
| MTS8000 | | | C8551 | 10G-T1/E1, 10GigE, (10G, LR@1310/1550), 2xGigE | |
| MTS8000 | | | E8026LTSTS | Optical loss test set 1310/1550nm with talk set | |
| MTS8000 | | | E80CDRW | Extractable R/W CD ROM drive | |
| MTS8000 | | | E80CFAPP | Transport Module Application Card | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | E80LIION | Additional Li-Ion Rechargeable Battery | |
| MTS8000 | | | E80VFL | VFL with 2.5mm UPP connector | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000M73 | MTS-8000 Tester with Transport Mod. V3(10G) | C10G835LR | 10G optic pkg (850/1310/1550, LR Rx) | \$25,152.00 |
| MTS8000 | | | C10GELAN | 10GigE LAN (requires 10G optics) | |
| MTS8000 | | | C10GEWAN | 10GigE WAN (requires 10G optics) | |
| MTS8000 | | | C10GFC | 10G Fibre Channel Test Option | |
| MTS8000 | | | C10GSS | OC192/STM-64 (requires 10G optics) | |
| MTS8000 | | | C10OTN | 10.7G OTN (requires ATO & 10G optics) | |
| MTS8000 | | | C11OTN | 11.1/11.05G OTN (Requires ATO & 10G optics) | |
| MTS8000 | | | C25GSS | OC-48/STM-16 (requires 2.5G optics) | |
| MTS8000 | | | C2OTN | 2.7G OTN (Requires 2.5G Interface and ATO) | |
| MTS8000 | | | C4GFC | 4G Fibre Channel Test Option | |
| MTS8000 | | | C615SS | OC-12/3/STM-1/4 (requires 622M optics) | |
| MTS8000 | | | C8000-TMRC | Command Line Remote Control | |
| MTS8000 | | | C8480 | Fibre Channel 1G/2G | |
| MTS8000 | | | C8483 | Multiple Streams (Class of Service) option | |
| MTS8000 | | | C8484 | MPLS/VPLS option | |

| | | | | | |
|---------|------------|--|------------|---|-------------|
| MTS8000 | | | C8485 | IP Layer 3 Option | |
| MTS8000 | | | CATO | Advanced Test Option | |
| MTS8000 | | | CC8015TM | 10G Transport module chassis with PDH/T-Carrier rates | |
| MTS8000 | | | CEETH | 10/100/1000M electrical Ethernet (e) option | |
| MTS8000 | | | CIPTV | IPTV Test Option | |
| MTS8000 | | | COGIGE | GigE Optical (requires 1G optics) | |
| MTS8000 | | | CP12G835 | P1 - 2.7G/2.5G/2G/1G/622M/155M-850/1310/1550 | |
| MTS8000 | | | CP22G835 | P2 - 2.5G/2G/1G/622M/155M-850/1310/1550 | |
| MTS8000 | | | CTCP | Layer 4 TCP/UDP Test Option | |
| MTS8000 | | | E8026LTSTS | Optical loss test set 1310/1550nm with talk set | |
| MTS8000 | | | E80CFAPP | Transport Module Application Card | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | E80LIION | Additional Li-Ion Rechargeable Battery | |
| MTS8000 | | | E80VFL | VFL with 2.5mm UPP connector | |
| MTS8000 | | | EFSCOPE400 | MTS PROBE KIT;FBP P505 PROBE, USB, 7 TIPS, CASE | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | EUFCAD | FC Universal Adapter | |
| MTS8000 | | | EULCAD | LC Universal Adapter | |
| MTS8000 | | | EUSTAD | ST Universal Adapter | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000-M8 | Optical Spectrum Analyser System (OSA300) | 2281/91.31 | OSA-300, High performance | \$6,000.00 |
| MTS8000 | | | E80CDRW | Extractable R/W CD ROM drive | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | E80SCASE3 | Soft Carrying Case for single module platform | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | | | |
| MTS8000 | MTS8126VSR | VSR 32/30dB 1310/1550nm OTDR plug-in | E8126VSRE | Very Short Range 32/30dB 1310/1550nm OTDR plug-in | \$2,019.20 |
| MTS8000 | | | | | |
| MTS8000 | MTS8138VLR | Very Long Range 45/42/43dB 1310/1490/1550 OTDR | E8138VLR49 | Very Long Range 45/42/43dB 1310/1490/1550 OTDR | \$10,800.00 |
| MTS8000 | | | | | |
| MTS8000 | MTSOSA300 | Optical Spectrum Analyser Module | 2281/91.31 | OSA-300, High performance | \$4,496.00 |
| MTS8000 | | | | | |
| MTS8000 | 8136OFI1 | OFI mod. 1310/1550/1625nm - Std Power Level | E8136OFI1 | OFI module 1310/1550/1625nm - std power level | \$2,768.00 |
| MTS8000 | | | E81OFIORL | ORL option for OFI module | |

| | | | | | |
|---------|------------|--|----------------|--|-------------|
| MTS8000 | | | | | |
| MTS8000 | 8140CWDM2 | 4-wavelength CWDM OTDR 1471/1491/1511/1531nm | E8140OTDRCWDM2 | 4-wavelength CWDM OTDR 1471/1491/1511/1531nm | \$5,392.00 |
| MTS8000 | | | E81OTDRLS | Light source option: VLR,LR,MR,VSRe, 4?-SRL(SM) & CWDM OTDRs | |
| MTS8000 | | | | | |
| MTS8000 | 81BBS2 | 1260-1640nm Broadband Source plug-in | E81BBS2 | 1260-1640nm Broadband Source plug-in | \$3,200.00 |
| MTS8000 | | | | | |
| MTS8000 | 81MTAU3 | MultiTest Access Unit for 3 test function | E81MTAU3 | MultiTest Acces Unit for 3 test functions | \$1,460.80 |
| MTS8000 | | | | | |
| MTS8000 | JD81MTAU4 | MultiTest Access Unit for 4 test function | E81MTAU4 | MultiTest Acces Unit for 4 test functions | \$1,872.00 |
| MTS8000 | | | | | |
| MTS8000 | MTS8136OF2 | OFI module1310/1550/1625nm High power level | E8136OFI2 | OFI module1310/1550/1625nm - High power level | \$2,864.00 |
| MTS8000 | | | E81OFIORL | ORL option for OFI module | |
| MTS8000 | | | | | |
| MTS8000 | OSA-180 | OSA-180 single port OSA module | 2281/91.18 | OSA-180, PC | \$4,688.00 |
| MTS8000 | | | | | |
| MTS8000 | OSA-181 | OSA-181, DWDM Anal. with channel drop 12.5G | 2281/91.22 | OSA-181, with channel drop 12.5G | \$13,744.00 |
| MTS8000 | | | | | |
| MTS8000 | MTS8126LR | Long Range 43/41dB 1310/1550 nm OTDR | E8126LR | Long Range 43/41dB 1310/1550 nm OTDR plug-in | \$5,888.00 |
| MTS8000 | | | | | |
| MTS8000 | TB8000-FC3 | Fiber Characterization. Kit(TB8000-FC3-VLR3) | E7787/7 | SC connector for SM jumper | \$53,296.00 |
| MTS8000 | | | E8000M02 | User Manual 8000 Platform (English) | |
| MTS8000 | | | E80BIDIR | Bidirectional OTDR acquisition option for singlemode module | |
| MTS8000 | | | E80HCASE1 | Hard case for multiple module config - NOT SUITABLE FOR OSA | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HPWUS | 150W Power Supply for 8000 Platform (US) | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | E80KEYB | Qwerty USB Soft keyboard | |
| MTS8000 | | | E80LIION | Additional Li-Ion Rechargeable Battery | |
| MTS8000 | | | E80MOUSE | USB mouse | |
| MTS8000 | | | E80VFL | VFL with 2.5mm UPP connector | |
| MTS8000 | | | E8100 | 2 plug-ins receptacle | |
| MTS8000 | | | E8100M02 | User Manual for 8000/6000/OTU fiber optic plug-ins (English) | |
| MTS8000 | | | E8136OFI1 | OFI module 1310/1550/1625nm - std power level | |
| MTS8000 | | | E8136VLR | Very Long Range 45/43/42dB 1310/1550/1625 OTDR | |
| MTS8000 | | | E81BBS2A | 1260-1640nm Broadband Source plug-in for CD/PMD/AP | |

| | | | | | |
|---------|------------|--|---------------|---|-------------|
| MTS8000 | | | E81DISPAP | Combined long range CD, PMD and AP module (1260-1640nm) | |
| MTS8000 | | | E81MTAU4 | MultiTest Acces Unit for 4 test functions | |
| MTS8000 | | | E81OFIORL | ORL option for OFI module | |
| MTS8000 | | | EFJ30SCUPC | Bend insensitive 30cm fiber jumper SC/UPC TO SC/UPC | |
| MTS8000 | | | EFJ30SCUPCAPC | Bend insensitive 30cm fiber jumper SC/UPC to SC/APC | |
| MTS8000 | | | EGENFCAS1 | Generic Fiber Characterization Automated Script | |
| MTS8000 | | | ESCSCOPE400 | ESCSCOPE400;Quick Capture Video Microscope 200X-400X with USB Converter IncludesTips and Mini Soft Case | |
| MTS8000 | | | ETB8000BT | T-BERD 8000 tester with battery module | |
| MTS8000 | | | EUNIAPCSC | Universal APC connector with SC adapter | |
| MTS8000 | | | EUNIPCSC | Universal PC connector with SC adapter | |
| MTS8000 | | | | | |
| MTS8000 | TB8000-FC4 | Fiber Characterization. Kit(TB8000-FC1-VLR3) | E7787/7 | SC connector for SM jumper | \$47,888.00 |
| MTS8000 | | | E8000M02QCFC1 | T-BERD/MTS-8000 QC Fiber Characterization Getting Started | |
| MTS8000 | | | E8000M02QCFC3 | T-BERD/MTS-8000 QC Fiber Characterization AP | |
| MTS8000 | | | E8000M02QCFC4 | T-BERD/MTS-8000 QC Fiber Characterization CD | |
| MTS8000 | | | E80HCASE1 | Hard case for multiple module config - NOT SUITABLE FOR OSA | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HPWEU | 150W Power Supply for 8000 Platform (Europe) | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | E80KEYB | Qwerty USB Soft keyboard | |
| MTS8000 | | | E80LIION | Additional Li-Ion Rechargeable Battery | |
| MTS8000 | | | E80MOUSE | USB mouse | |
| MTS8000 | | | E80VFL | VFL with 2.5mm UPP connector | |
| MTS8000 | | | E8100 | 2 plug-ins receptacle | |
| MTS8000 | | | E8136VLR | Very Long Range 45/43/42dB 1310/1550/1625 OTDR | |
| MTS8000 | | | E81DISPAP | Combined long range CD, PMD and AP module (1260-1640nm) | |
| MTS8000 | | | E81MTAU4 | MultiTest Acces Unit for 4 test functions | |
| MTS8000 | | | EFJ30SCUPC | Bend insensitive 30cm fiber jumper SC/UPC TO SC/UPC | |
| MTS8000 | | | EGENFCAS1 | Generic Fiber Characterization Automated Script | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |

| | | | | | |
|---------|------------|--|---------------|---|-------------|
| MTS8000 | | | EOBS550 | OBS-550 Handheld Broadband Source for CD/PMD/AP | |
| MTS8000 | | | EOFS200 | Optical Fiber Cable Software, OFS200 | |
| MTS8000 | | | ESCSCOPE400 | ESCSCOPE400;Quick Capture Video Microscope 200X-400X with USB Converter IncludesTips and Mini Soft Case | |
| MTS8000 | | | EUNIP CSC | Universal PC connector with SC adapter | |
| MTS8000 | | | | | |
| MTS8000 | MTS8136LR | Long Range 43/41/41dB 1310/1550/1625nm OTDR | E8136LR | Long Range 43/41/41dB 1310/1550/1625 nm OTDR | \$7,488.00 |
| MTS8000 | | | E81OTDRLS | Light source option: VLR,LR,MR,VSRe, 4?-SRL(SM) & CWDM OTDRs | |
| MTS8000 | | | | | |
| MTS8000 | MTS8138LR1 | Long Range 43/40/41dB1310/1490/1550 nm OTDR | E8138LR49 | Long Range 43/40/41dB 1310/1490/1550 nm OTDR | \$10,800.00 |
| MTS8000 | | | E81OTDRLS | Light source option: VLR,LR,MR,VSRe, 4?-SRL(SM) & CWDM OTDRs | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000FC1 | Fiber Characterization KIT (TB8000-FC1-MR3) | E7787/7 | SC connector for SM jumper | \$34,896.00 |
| MTS8000 | | | E80HCASE | HARD CARRYING CASE - MULTIMODULE CONFIGURATION | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HPWUS | 150W Power Supply for 8000 Platform (US) | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | E80KEYB | Qwerty USB Soft keyboard | |
| MTS8000 | | | E80LIION | Additional Li-Ion Rechargeable Battery | |
| MTS8000 | | | E80MOUSE | USB mouse | |
| MTS8000 | | | E80VFL | VFL with 2.5mm UPP connector | |
| MTS8000 | | | E8100 | 2 plug-ins receptacle | |
| MTS8000 | | | E8136MR | Medium Range 41/39/39dB 1310/1550/1625 nm OTDR | |
| MTS8000 | | | E81MRDISPAP | Medium Range ODM module for PMD/CD/AP in SCL band | |
| MTS8000 | | | E81MTAU4 | MultiTest Acces Unit for 4 test functions | |
| MTS8000 | | | EFJ30SCUPC | Bend insensitive 30cm fiber jumper SC/UPC TO SC/UPC | |
| MTS8000 | | | EGENFCAS1 | Generic Fiber Characterization Automated Script | |
| MTS8000 | | | EM8000BT | MTS-8000 tester with battery module | |
| MTS8000 | | | EOBS500 | Optical broadband source SCL for CD/PMD/AP | |
| MTS8000 | | | EUNIP CSC | Universal PC connector with SC adapter | |
| MTS8000 | | | | | |
| MTS8000 | MTS8000FC3 | Fiber Characterization Kit (TB8000-FC3-VLR3) | E7787/7 | SC connector for SM jumper | \$70,800.00 |
| MTS8000 | | | E8026LTSTSORL | Combined LTS and ORL 1310/1550nm with Talk Set | |

| | | | | | |
|----------|------------|---|---------------|--|-------------|
| MTS8000 | | | E80BIDIR | Bidirectional OTDR acquisition option for singlemode module | |
| MTS8000 | | | E80HCASE | HARD CARRYING CASE - MULTIMODULE CONFIGURATION | |
| MTS8000 | | | E80HDISK | Hard disk drive for 8000 platform | |
| MTS8000 | | | E80HPWUS | 150W Power Supply for 8000 Platform (US) | |
| MTS8000 | | | E80HVTCOL | High Visibility Touchscreen TFT Color Display | |
| MTS8000 | | | E80KEYB | Qwerty USB Soft keyboard | |
| MTS8000 | | | E80LIION | Additional Li-Ion Rechargeable Battery | |
| MTS8000 | | | E80MOUSE | USB mouse | |
| MTS8000 | | | E80VFL | VFL with 2.5mm UPP connector | |
| MTS8000 | | | E8100 | 2 plug-ins receptacle | |
| MTS8000 | | | E8136VLR | Very Long Range 45/43/42dB 1310/1550/1625 OTDR | |
| MTS8000 | | | E81BBS2A | 1260-1640nm Broadband Source plug-in for CD/PMD/AP | |
| MTS8000 | | | E81DISPAP | Combined long range CD, PMD and AP module (1260-1640nm) | |
| MTS8000 | | | E81MTAU4 | MultiTest Acces Unit for 4 test functions | |
| MTS8000 | | | EFJ30SCUPC | Bend insensitive 30cm fiber jumper SC/UPC TO SC/UPC | |
| MTS8000 | | | EFJ30SCUPCAPC | Bend insensitive 30cm fiber jumper SC/UPC to SC/APC | |
| MTS8000E | E8100 | 2 plug-ins receptacle | E8100 | 2 plug-ins receptacle | \$404.80 |
| MTS8000E | | | | | |
| MTS8000E | MTS8117RVL | Very Long Range 42dB 1625 nm OTDR w/filter | E8117RVLR | Very Long Range 42dB 1625 nm OTDR with filter | \$11,200.00 |
| MTS8000E | | | E81OTDRLS | Light source option: VLR,LR,MR,VSRe, 4?-SRL(SM) & CWDM OTDRs | |
| MTS8000E | | | | | |
| MTS8000E | MTS8136LR1 | Long Range 43/41/41DB1310/1550/1625 nm OTDR | E8136LR | Long Range 43/41/41dB 1310/1550/1625 nm OTDR | \$5,296.00 |
| MTS8000E | | | E81OTDRLS | Light source option: VLR,LR,MR,VSRe, 4?-SRL(SM) & CWDM OTDRs | |
| MTS8000E | | | | | |
| MTS8000E | MTS8136OFI | OFI module 1310/1550/1625nm - std power levl | E8136OFI1 | OFI module 1310/1550/1625nm - std power level | \$3,456.00 |
| MTS8000E | | | | | |
| MTS8000E | MTS8136VLR | Very Long Range 45/43/43DB1310/1550/1625 OTDR | E8136VLR | Very Long Range 45/43/42dB 1310/1550/1625 OTDR | \$10,192.00 |
| MTS8000E | | | E81OTDRLS | Light source option: VLR,LR,MR,VSRe, 4?-SRL(SM) & CWDM OTDRs | |
| MTS8000E | | | | | |
| MTS8000E | MTS8000M75 | MTS-8000 tester with battery module | EM8000BT | MTS-8000 tester with battery module | \$3,168.00 |
| MTS8000E | | | | | |

| | | | | | |
|----------|------------|--|------------|--|--------------|
| MTS8000E | MTS8136MR | Medium Range 40/38/37dB 1310/1550/1625 nm OTDR | E8136MR | Medium Range 41/39/39dB 1310/1550/1625 nm OTDR | \$5,888.00 |
| MTS8000E | | | | | |
| MTS8000E | MTS8138LR1 | Long Range 43/40/41DB1310/1490/1550 nm OTDR | E8138LR49 | Long Range 43/40/41dB 1310/1490/1550 nm OTDR | \$10,800.00 |
| MTS8000E | | | E810TDRLS | Light source option: VLR,LR,MR,VSRe, 4?-SRL(SM) & CWDM OTDRs | |
| MTS8000E | | | | | |
| MTS8000E | MTS8146SRL | Short Range LAN 850/1300/1310/1550nm OTDR | E8146SRL | Short Range LAN 24/24/41/39dB 850/1300/1310/1550nm OTDR | \$6,496.00 |
| MTS8000E | | | | | |
| ONT500 | 3061/90.62 | ONT DSn/PDH Module Dual Port | 3061/90.62 | DSn/PDH Module dual ports | \$4,848.00 |
| ONT500 | | | | | |
| ONT500 | 3061/90.72 | ONT Mixed Eth Module-2 x 10/100/100, 2 x 1G | 3061/90.72 | Mixed Ethernet Module | \$7,920.00 |
| ONT500 | | | | | |
| ONT500 | 3061/90.82 | ONT Multi-Channel extension Module | 3061/90.82 | MultiChannel Extension module | \$6,432.00 |
| ONT500 | | | | | |
| ONT500 | ONT-503-M3 | ONT-503 Module-E & 10G-D Jitter | 3061/92.10 | Module-E 10G XFP slot | \$65,584.00 |
| ONT500 | | | 3061/92.22 | XFP Optics 1550nm | |
| ONT500 | | | 3061/93.37 | Multichannel 10G High Order | |
| ONT500 | | | 3061/93.45 | 10G GFP-F | |
| ONT500 | | | 3061/93.47 | 10GigE LAN | |
| ONT500 | | | 3061/93.48 | 10GigE WAN (Module-E) | |
| ONT500 | | | 3061/93.53 | OTN 10.7 to 11.32G | |
| ONT500 | | | 3061/93.54 | OTN Multiplexing OTU2 | |
| ONT500 | | | 3061/93.65 | 3061/93.65;Capture MAC/IP | |
| ONT500 | | | 3061/93.95 | Wander 10/11G | |
| ONT500 | | | 3061/93.96 | Wander DS1/E1+BITS | |
| ONT500 | | | 3061/93.97 | Wander 10/11G Expert | |
| ONT500 | | | 3075/01 | ONT-503 Optical Network Tester | |
| ONT500 | | | | | |
| ONT500 | ONT-503-M7 | Module-E 10GigE Optical Network Tester | 3061/92.19 | Electrical Interfaces 10G | \$45,792.00 |
| ONT500 | | | 3061/92.34 | Module-E 10GigE LAN 850/1310/1550nm | |
| ONT500 | | | 3061/93.35 | OC-192c/STM-64c BERT | |
| ONT500 | | | 3061/93.37 | Multichannel 10G High Order | |
| ONT500 | | | 3061/93.48 | 10GigE WAN (Module-E) | |
| ONT500 | | | 3075/01 | ONT-503 Optical Network Tester | |
| ONT500 | | | | | |
| ONT500 | ONT-503-M8 | ONT-503 Module-E & 10G-D Jitter | 3061/92.14 | Module-E 10G 850/1310/1550nm | \$152,944.00 |
| ONT500 | | | 3061/93.33 | ODU0 with SDH/SONET client | |
| ONT500 | | | 3061/93.35 | OC-192c/STM-64c BERT | |
| ONT500 | | | 3061/93.36 | SDH/SONET Single Channel | |
| ONT500 | | | 3061/93.37 | Multichannel 10G High Order | |
| ONT500 | | | 3061/93.47 | 10GigE LAN | |
| ONT500 | | | 3061/93.48 | 10GigE WAN (Module-E) | |
| ONT500 | | | 3061/93.49 | OTN 10.7G | |
| ONT500 | | | 3061/93.50 | OTN 11.05/11.1G | |

| | | | | | |
|--------|------------|---|------------|--|-------------|
| ONT500 | | | 3061/93.51 | OTN 11.27/11.32G | |
| ONT500 | | | 3061/93.53 | OTN 10.7 to 11.32G | |
| ONT500 | | | 3061/93.54 | OTN Multiplexing OTU2 | |
| ONT500 | | | 3061/93.55 | OTN Multiplexing Enhanced | |
| ONT500 | | | 3061/93.56 | OTN Multi-Stage Multiplexing | |
| ONT500 | | | 3061/93.58 | OTN ODU0 | |
| ONT500 | | | 3061/93.59 | OTN ODUFlex | |
| ONT500 | | | 3061/93.60 | MAC-in-MAC 802.1ah | |
| ONT500 | | | 3061/93.61 | OTN ODU Multichannel | |
| ONT500 | | | 3075/01 | ONT-503 Optical Network Tester | |
| ONT500 | | | | | |
| ONT500 | ONT-503-M9 | ONT-503 Optical Network Tester (40/43Gb/S) V2 | 3061/91.81 | 40G SDH/SONET NRZ V2 | \$52,048.00 |
| ONT500 | | | 3061/93.14 | 3061/93.14;43G OTN Multiplexing Software | |
| ONT500 | | | 3061/93.29 | 43G OTN V2 | |
| ONT500 | | | 3075/01 | ONT-503 Optical Network Tester | |
| ONT500 | | | | | |
| ONT500 | ONT-506 | ONT-506 Mainframe | 3062/01 | ONT-506 Optical Network Tester | \$6,896.00 |
| ONT500 | | | | | |
| ONT500 | ONT-506M10 | 43G OTN DPSK with Bulk & SDH/SONET Client | 3062/01 | ONT-506 Optical Network Tester | \$57,296.00 |
| ONT500 | | | | | |
| ONT500 | ONT-506-M6 | ONT-506 40G Optical Network Tester | 2060/00.51 | Measuring adapter: FC-PC, FC-APC | \$85,760.00 |
| ONT500 | | | 3062/01 | ONT-506 Optical Network Tester | |
| ONT500 | | | | | |
| ONT500 | ONT-506-M7 | ONT-506 2.5/2.7/10/10.7G(Jitter) Network Tester | 3061/90.27 | OTN Module 2.5/2.7G-B | \$64,256.00 |
| ONT500 | | | 3061/90.32 | OTN Module 10/10.7G-B 1550nm | |
| ONT500 | | | 3061/90.92 | Jitter Module 2.5/2.7G-B | |
| ONT500 | | | 3061/90.93 | Jitter Module 10/10.7G-B | |
| ONT500 | | | 3061/90.94 | Differential Interface Module | |
| ONT500 | | | 3061/93.91 | Wander 10/10.7G | |
| ONT500 | | | 3061/93.92 | Wander 2.5/2.7G | |
| ONT500 | | | 3062/01 | ONT-506 Optical Network Tester | |
| ONT500 | | | 3062/92.45 | Carrying case for ONT-506 | |
| ONT500 | | | | | |
| ONT500 | ONT-506-M8 | ONT-506 10/10.7G(Jit)Optical Network Tester | 3061/90.32 | OTN Module 10/10.7G-B 1550nm | \$29,488.00 |
| ONT500 | | | 3061/93.91 | Wander 10/10.7G | |
| ONT500 | | | 3062/01 | ONT-506 Optical Network Tester | |
| ONT500 | | | 3062/92.45 | Carrying case for ONT-506 | |
| ONT500 | | | | | |
| ONT500 | ONT-506-M9 | ONT-506 Optical Network Tester (New Gen 10G,10GE) | 3061/90.41 | NewGen solution 2.5G | \$72,464.00 |
| ONT500 | | | 3061/90.45 | NewGen Solution 10G | |
| ONT500 | | | 3061/93.08 | GFP-T processing | |
| ONT500 | | | 3062/01 | ONT-506 Optical Network Tester | |
| ONT500 | | | | | |
| ONT500 | 3061/90.80 | ONT Module 2.5G, 1310nm | 3061/90.80 | Module 2.5G, 1310nm | \$22,480.00 |
| ONT500 | | | | | |
| ONT500 | ONT-503-M1 | Module-E 10GigE Optical Network Tester | 3061/92.19 | Electrical Interfaces 10G | \$57,232.00 |
| ONT500 | | | 3061/92.34 | Module-E 10GigE LAN 850/1310/1550nm | |

| | | | | | |
|--------|------------|--|------------|---|--------------|
| ONT500 | | | 3061/93.35 | OC-192c/STM-64c BERT | |
| ONT500 | | | 3061/93.37 | Multichannel 10G High Order | |
| ONT500 | | | 3061/93.48 | 10GigE WAN (Module-E) | |
| ONT500 | | | 3061/93.53 | OTN 10.7 to 11.32G | |
| ONT500 | | | 3061/93.54 | OTN Multiplexing OTU2 | |
| ONT500 | | | 3061/93.60 | MAC-in-MAC 802.1ah | |
| ONT500 | | | 3061/93.62 | IPv6 | |
| ONT500 | | | 3061/93.65 | 3061/93.65;Capture MAC/IP | |
| ONT500 | | | 3075/01 | ONT-503 Optical Network Tester | |
| ONT500 | | | | | |
| ONT500 | ONT-503-M4 | Mod.E 10G/2.5G XFP/SFP, Jitter - 2 slots | 3061/90.70 | Jitter 10.3G-E | \$234,400.00 |
| ONT500 | | | 3061/90.74 | Wander BITS Expert | |
| ONT500 | | | 3061/90.77 | Jitter Module 10G-E Electrical Interfaces | |
| ONT500 | | | 3061/90.78 | Jitter 10.7G-E | |
| ONT500 | | | 3061/90.79 | Jitter 11.05/11.1G-E | |
| ONT500 | | | 3061/90.81 | Jitter 10.75G-E | |
| ONT500 | | | 3061/90.99 | Jitter 11.18G-E | |
| ONT500 | | | 3061/92.05 | Module E 10G/2.5G XFP/SFP Slot | |
| ONT500 | | | 3061/92.20 | XFP Optics 850nm | |
| ONT500 | | | 3061/92.21 | XFP Optics 1310nm | |
| ONT500 | | | 3061/92.22 | XFP Optics 1550nm | |
| ONT500 | | | 3061/93.33 | ODU0 with SDH/SONET client | |
| ONT500 | | | 3061/93.34 | Lower Rates SDH/SONET | |
| ONT500 | | | 3061/93.35 | OC-192c/STM-64c BERT | |
| ONT500 | | | 3061/93.36 | SDH/SONET Single Channel | |
| ONT500 | | | 3061/93.37 | Multichannel 10G High Order | |
| ONT500 | | | 3061/93.39 | 10G VCAT HO | |
| ONT500 | | | 3061/93.43 | 1G Ethernet | |
| ONT500 | | | 3061/93.44 | GFP-T | |
| ONT500 | | | 3061/93.45 | 10G GFP-F | |
| ONT500 | | | 3061/93.46 | 10G Fibre Channel | |
| ONT500 | | | 3061/93.47 | 10GigE LAN | |
| ONT500 | | | 3061/93.48 | 10GigE WAN (Module-E) | |
| ONT500 | | | 3061/93.49 | OTN 10.7G | |
| ONT500 | | | 3061/93.50 | OTN 11.05/11.1G | |
| ONT500 | | | 3061/93.51 | OTN 11.27/11.32G | |
| ONT500 | | | 3061/93.54 | OTN Multiplexing OTU2 | |
| ONT500 | | | 3061/93.55 | OTN Multiplexing Enhanced | |
| ONT500 | | | 3061/93.56 | OTN Multi-Stage Multiplexing | |
| ONT500 | | | 3061/93.57 | OTN 2.7G | |
| ONT500 | | | 3061/93.58 | OTN ODU0 | |
| ONT500 | | | 3061/93.59 | OTN ODUFlex | |
| ONT500 | | | 3061/93.60 | MAC-in-MAC 802.1ah | |
| ONT500 | | | 3061/93.62 | IPv6 | |
| ONT500 | | | 3061/93.65 | 3061/93.65;Capture MAC/IP | |
| ONT500 | | | 3061/93.76 | 10G VCAT HO Solution | |
| ONT500 | | | 3061/93.91 | Wander 10/10.7G | |

| | | | | | |
|--------|------------|---|------------|--|--------------|
| ONT500 | | | 3061/93.95 | Wander 10/11G | |
| ONT500 | | | 3061/93.96 | Wander DS1/E1+BITS | |
| ONT500 | | | 3061/93.97 | Wander 10/11G Expert | |
| ONT500 | | | 3075/01 | ONT-503 Optical Network Tester | |
| ONT500 | | | 3075/92.45 | Carrying case for ONT-503 | |
| ONT500 | | | | | |
| ONT500 | ONT-503-M5 | ONT-503 Module E 10G/2.5G XFP/SFP - 2 slots | 3061/92.05 | Module E 10G/2.5G XFP/SFP Slot | \$234,400.00 |
| ONT500 | | | 3061/92.20 | XFP Optics 850nm | |
| ONT500 | | | 3061/92.21 | XFP Optics 1310nm | |
| ONT500 | | | 3061/92.22 | XFP Optics 1550nm | |
| ONT500 | | | 3061/93.33 | ODU0 with SDH/SONET client | |
| ONT500 | | | 3061/93.34 | Lower Rates SDH/SONET | |
| ONT500 | | | 3061/93.35 | OC-192c/STM-64c BERT | |
| ONT500 | | | 3061/93.36 | SDH/SONET Single Channel | |
| ONT500 | | | 3061/93.37 | Multichannel 10G High Order | |
| ONT500 | | | 3061/93.39 | 10G VCAT HO | |
| ONT500 | | | 3061/93.43 | 1G Ethernet | |
| ONT500 | | | 3061/93.44 | GFP-T | |
| ONT500 | | | 3061/93.45 | 10G GFP-F | |
| ONT500 | | | 3061/93.46 | 10G Fibre Channel | |
| ONT500 | | | 3061/93.47 | 10GigE LAN | |
| ONT500 | | | 3061/93.48 | 10GigE WAN (Module-E) | |
| ONT500 | | | 3061/93.49 | OTN 10.7G | |
| ONT500 | | | 3061/93.50 | OTN 11.05/11.1G | |
| ONT500 | | | 3061/93.51 | OTN 11.27/11.32G | |
| ONT500 | | | 3061/93.54 | OTN Multiplexing OTU2 | |
| ONT500 | | | 3061/93.55 | OTN Multiplexing Enhanced | |
| ONT500 | | | 3061/93.56 | OTN Multi-Stage Multiplexing | |
| ONT500 | | | 3061/93.57 | OTN 2.7G | |
| ONT500 | | | 3061/93.58 | OTN ODU0 | |
| ONT500 | | | 3061/93.59 | OTN ODUFlex | |
| ONT500 | | | 3061/93.62 | IPv6 | |
| ONT500 | | | 3061/93.65 | 3061/93.65;Capture MAC/IP | |
| ONT500 | | | 3061/93.76 | 10G VCAT HO Solution | |
| ONT500 | | | 3075/01 | ONT-503 Optical Network Tester | |
| ONT500 | | | 3075/92.45 | Carrying case for ONT-503 | |
| ONT500 | | | | | |
| ONT500 | ONT-506M11 | 40/43G SDH/SONET Jitter V2B, OTN | 3061/91.93 | 40G SDH/SONET Jitter V2B | \$173,840.00 |
| ONT500 | | | 3061/91.94 | 43G Jitter V2B | |
| ONT500 | | | 3061/91.95 | 40/43G Electrical Interfaces V2B | |
| ONT500 | | | 3061/93.14 | 3061/93.14;43G OTN Multiplexing Software | |
| ONT500 | | | 3061/93.15 | 43G OTN Multiplexing Enhanced | |
| ONT500 | | | 3061/93.16 | 43G OTN Multi-Stage Multiplexing | |
| ONT500 | | | 3061/93.17 | 43G OTN ODU0 | |
| ONT500 | | | 3061/93.18 | 43G OTN ODUFlex | |
| ONT500 | | | 3062/01 | ONT-506 Optical Network Tester | |
| ONT500 | | | 3062/92.45 | Carrying case for ONT-506 | |

| | | | | | |
|--------|------------|--|------------|---|-------------|
| ONT500 | | | | | |
| ONT500 | 3061/95.98 | ONT External Wander Analysis SW | 3061/95.98 | External Wander Analysis SW | \$2,528.00 |
| ONT500 | | | 3061/95.99 | Packet Data Add-On for Wander Analysis | |
| ONT500 | | | | | |
| ONT600 | 3061/90.41 | ONT NewGen Module 2.5G - 1310/1550nm/elect. | 3061/90.41 | NewGen solution 2.5G | \$21,232.00 |
| ONT600 | | | | | |
| ONT600 | 3061-M0 | OTN Module 10/10.7G-B 1550nm + Jitter Module | 3061/90.32 | OTN Module 10/10.7G-B 1550nm | \$22,368.00 |
| ONT600 | | | 3061/90.93 | Jitter Module 10/10.7G-B | |
| ONT600 | | | | | |
| ONT600 | 3061-M1 | OTN Mod 2.5/2.7G-B,1310/1550nm+elect./Jit. | 3061/90.27 | OTN Module 2.5/2.7G-B | \$26,448.00 |
| ONT600 | | | 3061/90.92 | Jitter Module 2.5/2.7G-B | |
| ONT600 | | | | | |
| ONT600 | ONT-601-M3 | MTM-4S-4X, 10GIGE LAN (Quad Port Loading) | 3076/11 | ONT-601 MTM-4S-4X Configuration | \$40,336.00 |
| ONT600 | | | 3076/63.22 | OTN 10.7/11.05/11.1G for MTM | |
| ONT600 | | | 3076/63.62 | OTU1 for MTM | |
| ONT600 | | | 3076/63.80 | 10GigE LAN for MTM - 4 Port Loading | |
| ONT600 | | | | | |
| W1314 | W1314A-E01 | Wireless Network Receiver (E01) | W1314A-E01 | WiMAX 2.3/2.5/3.5 GHz Band Receiver | \$12,304.00 |
| W1314 | | | | | |
| W1314 | W1314A-E04 | Wireless Network Receiver (E04) | W1314A-E04 | 3800/3700/3600/3500/2600/2100/1800/900 | \$16,400.00 |
| W1314 | | | | | |
| W1314 | W1314A-E09 | Wireless Network Receiver (E09) | W1314A-E09 | 2.1DL/1.9UL/1.9DL/1.7UL/850UL/850DL/700 UL/700DL | \$15,856.00 |
| W1314 | | | | | |
| W1314 | W1314A-E12 | Wireless Network Receiver | E6474A-040 | MapX mapping software license | \$15,856.00 |